279

K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 02/01/01

TO: Ms. Suman Sharma
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D.
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
01010506-PUFAE-3124	AIR	01/05/01	30384
01010506-PUFBE-3135	AIR	01/05/01	30385
01010506-PUFCE-3136	AIR	01/05/01	30386
01010506-PUFDE-3137	AIR	01/05/01	30387
01010506-PUFEE-3138	AIR	01/05/01	30388
01010506-PUFFE-3139	AIR	01/05/01	30389
01010506-FBEPUF-3146	AIR	01/05/01	30390
01010506-VOCAE-A430	AIR	01/05/01	30391
01010506-VOCBE-A807	AIR	01/05/01	30392
01010506-VOCCE-A636	AIR	01/05/01	30393
01010506-VOCDE-A602	AIR	01/05/01	30394
01010506-VOCEE-A431	AIR	01/05/01	30395
01010506-VOCFE-A607	AIR	01/05/01	30396
01010506-FBEVOC-A705	AIR	01/05/01	30397
01010506-TSPAE-7716	AIR	01/05/01	30398
01010506-TSPBE-7717	AIR	01/05/01	30399
01010506-TSPCE-7718	AIR	01/05/01	30400
01010506-TSPDE-7719	AIR	01/05/01	30401
01010506-TSPFE-7721	AIR	01/05/01	30402
01010506-FBETSP-7722	AIR	01/05/01	30403

The above listed sample group was received on 01/08/01 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

: PRIME, INC.
ABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

SAMPLE ID:	01010505 PUFAE-3124	01010505 PUFBE-3135	01010506 PUFCE-3136	01010506 PUFDE-3137	01010506 PUFEE-3138	01010506 PUFFE-3139	01010505 FBEPUF-3146
LAB NO:	30384	30385	30386	30387	30388	30389	30390
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	1/5/01	1/5/01	1/5/01	1/5/01	1/5/01	1/5/01	1/5/01
SAMPLE VOLUME (M³):	323.61	330.41	313.2	325.82	321.26	326.47	323.46
DATE ANALYZED:	1/13/01	1/13/01	1/13/01	1/13/01	1/13/01	1/13/01	1/19/01

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
AROCLOR 1016	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1221	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1232	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1242	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1248	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1254	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031
AROCLOR 1260	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0031	ND	0.0031	ND	0.0031	ND	0.0031

SURROGATE % RECOVERY:							
DCBP (surr)	104	104	101	105	106	108	113

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: dr

DATE: 2/5/01

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

QC SAMPLE ID:	MBLK122100	LCS122100	LCSD122100
SAMPLE TYPE:	PUF/FILT	PUF/FILT	PUF/FILT
AVG SAMPLE VOLUME (M^3):	323.46	323.46	323.46
DATES ANALYZED:	12/28/00	12/28/00	12/28/00

COMPOUND NAME	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
AROCLOR 1260	ND	0.0031	97	0.0019	85	0.0019	12.8

SURROGATE % RECOVERY:

DCBP (surr)	100	99	109

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 1/31/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010500-VOCAE-A430
LAB NO: 30391
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/23/01
PRESSURE (PSIG): -11"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.40	0.68	2.0	3.36
DICHLOROTETRAFLUOROETHANE	76-14-2	0.40	ND	2.8	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	0.20	ND	0.51	ND
BROMOMETHANE	74-83-9	0.40	ND	1.55	ND
CHLOROETHANE	75-00-3	0.40	ND	1.06	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.40	ND	2.2	ND
1,1-DICHLOROETHENE	75-35-4	0.20	ND	0.79	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.0	ND	15.3	ND
METHYLENE CHLORIDE	75-09-2	1.00	1.17	3.5	4.06
1,1-DICHLOROETHANE	75-34-3	0.20	ND	0.81	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.20	ND	0.79	ND
CHLOROFORM	67-66-3	0.40	ND	2.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.40	ND	2.2	ND
CARBON TETRACHLORIDE	56-23-5	0.20	ND	1.26	ND
1,2-DICHLOROETHANE	107-06-2	0.20	ND	0.81	ND
BENZENE	71-43-2	0.20	1.05	0.64	3.35
TRICHLOROETHENE	79-01-6	0.20	ND	1.07	ND
1,2-DICHLOROPROPANE	78-87-5	0.40	ND	1.85	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.40	ND	1.82	ND
TOLUENE	108-88-3	0.40	3.44	1.51	13.0
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.40	ND	1.82	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.5	ND
TETRACHLOROETHENE	127-18-4	0.20	0.51	1.36	3.5
1,2-DIBROMOETHANE	106-93-4	0.20	ND	1.54	ND
CHLOROBENZENE	108-90-7	0.20	ND	0.92	ND
ETHYLBENZENE	100-41-4	0.20	0.45	0.87	2.0
XYLENE (M+P)	1330-20-7	0.20	2.02	0.87	8.77
XYLENE (O)	95-47-6	0.20	0.70	0.87	3.0
STYRENE	100-42-5	0.20	ND	0.85	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.9	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.9	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	ND	4.9	ND
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.0	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.0	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.0	ND	14.8	ND
HEXACHLOROBUTADIENE	87-68-3	2.0	ND	21	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCAE-A430
LAB NO: 30391
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/23/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND
		10.0	ND	41	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: dh
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCBE-A807
LAB NO: 30392
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): 1.0

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.68	1.0	3.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.35	1.1	2.0
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	1.22	1.7	4.24
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.16	0.63	1.0
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	1.10	0.32	3.51
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	3.04	0.75	11.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.43	0.68	2.9
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.47	0.43	2.0
XYLENE (M+P)	1330-20-7	0.20	1.80	0.87	7.82
XYLENE (O)	95-47-6	0.10	0.59	0.43	2.6
STYRENE	100-42-5	0.10	0.15	0.43	0.64
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	0.72	2.5	3.5
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCBE-A807
LAB NO: 30392
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: ck
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCCE-A636
LAB NO: 30393
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): 0.7

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.69	1.0	3.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.32	1.1	1.8
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.10	0.63	0.63
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	1.06	0.32	3.39
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.89	0.75	10.9
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.52	0.68	3.5
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.42	0.43	1.8
XYLENE (M+P)	1330-20-7	0.20	1.76	0.87	7.6
XYLENE (O)	95-47-6	0.10	0.57	0.43	2.5
STYRENE	100-42-5	0.10	0.17	0.43	0.72
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	0.63	2.5	3.1
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCCE-A636
LAB NO: 30393
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: ch
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCDE-A602
LAB NO: 30394
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): 0.8

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.71	1.0	3.5
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	0.81	1.03	1.7
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	0.24	0.53	0.6
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.36	1.1	2.0
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	0.60	1.7	2.1
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.15	0.63	0.94
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	1.09	0.32	3.48
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	3.09	0.75	11.6
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.50	0.68	3.4
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.47	0.43	2.0
XYLENE (M+P)	1330-20-7	0.20	1.67	0.87	7.3
XYLENE (O)	95-47-6	0.10	0.58	0.43	2.5
STYRENE	100-42-5	0.10	0.15	0.43	0.64
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	0.52	2.5	2.6
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCDE-A602
LAB NO: 30394
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: dh
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCEE-A431
LAB NO: 30395
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): -2"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.69	1.0	3.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.34	1.1	1.9
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	0.62	1.7	2.2
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	1.06	0.32	3.39
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.97	0.75	11.2
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.44	0.68	3.0
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.53	0.43	2.3
XYLENE (M+P)	1330-20-7	0.20	1.94	0.87	8.42
XYLENE (O)	95-47-6	0.10	0.65	0.43	2.8
STYRENE	100-42-5	0.10	0.13	0.43	0.55
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	0.55	2.5	2.7
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCEE-M31
LAB NO: 30395
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: ch
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCFE-A607
LAB NO: 30396
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): 0.8

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.82	1.0	4.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	0.50	1.03	1.0
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.35	1.1	2.0
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	1.13	1.7	3.93
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.10	0.63	0.63
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	1.22	0.32	3.90
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	3.84	0.75	14.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.55	0.68	3.7
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.62	0.43	2.7
XYLENE (M+P)	1330-20-7	0.20	2.42	0.87	10.5
XYLENE (O)	95-47-6	0.10	0.82	0.43	3.6
STYRENE	100-42-5	0.10	0.21	0.43	0.89
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	0.85	2.5	4.2
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-VOCFE-A607
LAB NO: 30396
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: dk
DATE: 2/1/01

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-FBEVOC-A705
LAB NO: 30397
SAMPLE TYPE: AIR
DATE SAMPLED: 01/05/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01
PRESSURE (PSIG): 0.8

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	1.0	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 01010506-FBEVOC-A705
LAB NO: 30397
SAMPLE TYPE: AIR
DATE SAMPLED: 1/5/01
TIME SAMPLED: NA

DATE ANALYZED: 1/22/01

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: [signature]
DATE: 2/5/01

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK0122-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 1/22/01

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 30415-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 1/22/01

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	79	82	3	25	60 - 140
1,2-DICHLOROETHANE	116	121	4	25	60 - 140
BENZENE	76	76	0	25	60 - 140
TRICHLOROETHENE	89	93	5	25	60 - 140
TETRACHLOROETHENE	92	97	6	25	60 - 140
XYLENE	84	88	5	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1&O3.1&O3.5

UNITS: µg/m3

SAMPLE ID:	01010505 TSPAE-7716	01010506 TSPBE-7717	01010506 TSPCE-7718	01010506 TSPDE-7719	01010506 TSPFE-7721	01010505 FBETSP-7722
LAB NO:	30398	30399	30400	30401	30402	30403
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	1/5/01	1/5/01	1/5/01	1/5/01	1/5/01	1/5/01
SAMPLE VOLUME (m3):	1781.04	1782.50	1779.59	1785.08	1779.59	1751.56
DATE ANALYZED:	1/10/01	1/10/01	1/10/01	1/10/01	1/10/01	1/10/01

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	68.99	2.81	115.02	2.81	104.80	2.81	127.84	2.80	121.21	2.81	15.27	2.81

DATE ANALYZED:	01/22/01		01/22/01		01/22/01		01/22/01		01/22/01		01/22/01	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.527	ND	2.525	ND	2.529	ND	2.521	ND	2.529	ND	2.526
ANTIMONY	ND	0.505	ND	0.505	ND	0.506	ND	0.504	ND	0.505	ND	0.505
ARSENIC	ND	0.002	ND	0.002	ND	0.002	0.002	0.002	0.002	0.002	ND	0.002
BARIUM	ND	0.126	ND	0.126	ND	0.126	ND	0.126	ND	0.126	ND	0.126
BERYLLIUM	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
CADMIUM	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
CHROMIUM	ND	0.051	ND	0.050	ND	0.051	ND	0.050	ND	0.051	ND	0.051
COBALT	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
COPPER	0.174	0.013	0.204	0.013	0.060	0.013	0.090	0.013	0.098	0.013	ND	0.013
LEAD	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025
MANGANESE	0.031	0.013	0.036	0.013	0.035	0.013	0.061	0.013	0.047	0.013	ND	0.013
MERCURY	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
MOLYBDENUM	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025
NICKEL	ND	0.131	ND	0.131	ND	0.131	ND	0.131	ND	0.131	ND	0.131
SELENIUM	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
SILVER	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
THALLIUM	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013	ND	0.013
VANADIUM	ND	0.253	ND	0.252	ND	0.253	ND	0.252	ND	0.253	ND	0.253
ZINC	ND	0.253	ND	0.252	ND	0.253	ND	0.252	ND	0.253	ND	0.253

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 1/31/01

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 30316	MBLK0119	LCS0119	LCSD0119
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	12/29/00	1/19/01	1/19/01	1/19/01
SAMPLE VOLUME (m3):	556.50	1781.56	1781.56	1781.56
DATE ANALYZED:	1/10/01	1/22/01	1/22/01	1/22/01

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.006%							
ALUMINUM		ND	2.383	80	2.383	82	2.383	2.5
ANTIMONY		ND	0.477	101	0.477	100	0.477	0.50
ARSENIC		ND	0.002	99	0.002	97	0.002	2.9
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	89	0.012	97	0.012	8.50
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	96	0.012	96	0.012	0.58
LEAD		ND	0.024	92	0.024	95	0.024	3.89
MANGANESE		ND	0.012	96	0.012	97	0.012	0.79
MERCURY		ND	0.001	94	0.001	93	0.001	0.91
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	92	0.124	92	0.124	0.31
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	89	0.238	89	0.238	0.66
ZINC		ND	0.238	88	0.238	87	0.238	0.63

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 1/31/01

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-010506E

Page 1 of 1

Bill to: IT Corporation
4005 Port Chicago Highway
Concord, CA 94520

Report to: IT Corporation
4005 Port Chicago Highway
Concord, CA 94520
Attn: Pam Sauer

Project Name: HPS Air Monitoring
Project Number: 773247
Sample Team Members: A. Cortez, B. Kuan, E. Diaz
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 1-8-01
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Sample Start Date	Sample Start Time	Sample End Date	Sample End Time	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
01010506-PUFAE-3134	AC, BK, ED	PARCEL E, STATION A	1/5/01	13:59	1/6/01	13:07	323.61	Jar & Envelope		TO-4	30384	
01010506-PUFBE-3135	AC, BK, ED	PARCEL E, STATION B	1/5/01	14:08	1/6/01	13:13	330.41	"		TO-4	30385	
01010506-PUFCE-3136	AC, BK, ED	PARCEL E, STATION C	1/5/01	14:18	1/6/01	13:27	313.20	"		TO-4	30386	
01010506-PUFDE-3137	AC, BK, ED	PARCEL E, STATION D	1/5/01	14:29	1/6/01	13:34	325.82	"		TO-4	30387	
01010506-PUFEE-3138	AC, BK, ED	PARCEL E, STATION E	1/5/01	14:44	1/6/01	13:50	321.26	"		TO-4	30388	
01010506-PUFFE-3139	AC, BK, ED	PARCEL E, STATION F	1/5/01	14:35	1/6/01	13:41	326.47	"		TO-4	30389	
NOT COLLECTED		PARCEL E, STATION G								TO-4	—	
01010506-FBEPUF-3146	AC, BK, ED	PARCEL E, PUF-BLANK	1/5/01	NA	1/6/01	NA	NA	"		TO-4	30390	
01010506-VOCAE-A430	AC, BK, ED	PARCEL E, STATION A	1/5/01	14:00	1/6/01	13:03	0.00	SUMMA		TO-14a	30391	
01010506-VOCBE-A807	AC, BK, ED	PARCEL E, STATION B	1/5/01	14:06	1/6/01	13:09	0.00	"		TO-14a	30392	
01010506-VOCCE-A636	AC, BK, ED	PARCEL E, STATION C	1/5/01	14:16	1/6/01	14:23	0.00	"		TO-14a	30393	
01010506-VOCDE-A602	AC, BK, ED	PARCEL E, STATION D	1/5/01	14:26	1/6/01	14:31	0.00	"		TO-14a	30394	
01010506-VOCEE-A431	AC, BK, ED	PARCEL E, STATION E	1/5/01	14:45	1/6/01	13:46	5.00	"		TO-14a	30395	
01010506-VOCFE-A607	AC, BK, ED	PARCEL E, STATION F	1/5/01	14:30	1/6/01	13:39	2.00	"		TO-14a	30396	
NOT COLLECTED		PARCEL E, STATION G								TO-14a	—	
01010506-FBEVOC-A725	AC, BK, ED	PARCEL E, VOC-BLANK	1/5/01	NA	1/6/01	NA	NA	"		TO-14a	30397	
01010506-TSPAE-7716	AC, BK, ED	PARCEL E, STATION A	1/5/01	14:03	1/6/01	13:03	1781.04	Envelope		IO 3.1 & IO 3.5	30398	
01010506-TSPBE-7717	AC, BK, ED	PARCEL E, STATION B	1/5/01	14:11	1/6/01	13:11	1782.50	"		IO 3.1 & IO 3.5	30399	
01010506-TSPCE-7718	AC, BK, ED	PARCEL E, STATION C	1/5/01	14:27	1/6/01	13:27	1779.59	"		IO 3.1 & IO 3.5	30400	
01010506-TSPDE-7719	AC, BK, ED	PARCEL E, STATION D	1/5/01	14:31	1/6/01	13:33	1785.03	"		IO 3.1 & IO 3.5	30401	
NOT COLLECTED		PARCEL E, STATION E								IO 3.1 & IO 3.5	—	
01010506-TSPFE-7721	AC, BK, ED	PARCEL E, STATION F	1/5/01	14:38	1/6/01	13:38	1779.59	"		IO 3.1 & IO 3.5	30402	
NOT COLLECTED		PARCEL E, STATION G								IO 3.1 & IO 3.5	—	
01010506-FBETSP-7722	AC, BK, ED	PARCEL E, TSP-BLANK	1/5/01	NA	1/6/01		NA	"		IO 3.1 & IO 3.5	30403	

Special Instructions: Analyze PUFs for PCBs only

Possible Hazard ID: none

Sample Disposal: By Lab

Turnaround Time Required: 10 day turnaround

QC Level: Per SOW

1. Relinquished by (Signature/Affiliation): [signature] Date: 1/8/01 Time: 16:35
2. Relinquished by (Signature/Affiliation): [signature] Date: 1-8-01 Time: 18:20
3. Relinquished by (Signature/Affiliation): Date: Time:

1. Received by (Signature/Affiliation): [signature] Date: 1-8-01 Time: 16:35
2. Received by (Signature/Affiliation): [signature] Date: 1-8-01 Time: 18:20
3. Received by (Signature/Affiliation): Date: Time:

Comments: Fax Preliminary results to Brett Womack (1-415-671-2809)