K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 10/24/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAK 10/24/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00101819-VOC-A430	AIR	10/18/00	28756
00101819-VOC-A601	AIR	10/18/00	28757
00101819-VOC-A112	AIR	10/18/00	28758
00101819-VOC-A636	AIR	10/18/00	28759
00101819-VOC-A202	AIR	10/18/00	28760
00101819-VOC-A602	AIR	10/18/00	28761
00101819-VOC-A508	AIR	10/18/00	28762

The above listed sample group was received on 10/19/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

CC: Mr. Cliff Foreman, JADA/IT Hunters Point FAX: 415-671-2809

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00101810-VOC-A430
LAB NO: 28756
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/20/00
PRESSURE (PSIG): -0.6

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.43	1.0	2.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.25	1.1	1.4
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.19	0.32	0.61
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.81	0.75	3.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.10	0.43	0.43
XYLENE (M+P)	1330-20-7	0.20	0.42	0.87	1.8
XYLENE (O)	95-47-6	0.10	0.10	0.43	0.43
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A430
LAB NO: 28756
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/20/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: DMK
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00101819-VOC-A601
LAB NO:	28757
SAMPLE TYPE:	AIR
DATE SAMPLED:	10/18/00
TIME SAMPLED:	NA
DATE ANALYZED:	10/20/00
PRESSURE (PSIG):	0.2

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.50	1.0	2.5
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.33	0.41	0.7
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.26	1.1	1.5
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	0.50	1.7	1.7
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.19	0.32	0.61
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.60	0.75	2.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.47	0.87	2.0
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A601
LAB NO: 28757
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/20/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MMC
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00101819-VOC-A112
LAB NO:	28758
SAMPLE TYPE:	AIR
DATE SAMPLED:	10/18/00
TIME SAMPLED:	NA
DATE ANALYZED:	10/21/00
PRESSURE (PSIG):	-1.5

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.41	1.0	2.0
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.20	1.1	1.1
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.10	0.32	0.32
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.59	0.75	2.2
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.35	0.87	1.5
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A112
LAB NO: 28758
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PAK
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A636
LAB NO: 28759
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00
PRESSURE (PSIG): -1.0

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.48	1.0	2.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.34	0.41	0.70
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.28	1.1	1.6
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.14	0.32	0.45
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.60	0.75	2.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.21	0.87	0.91
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A636
LAB NO: 28759
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: CMK
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A202
LAB NO: 28760
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00
PRESSURE (PSIG): -1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.49	1.0	2.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.29	1.1	1.6
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.17	0.32	0.54
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.54	0.75	2.0
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.25	0.87	1.1
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID:	00101819-VOC-A202
LAB NO:	28760
SAMPLE TYPE:	AIR
DATE SAMPLED:	10/18/00
TIME SAMPLED:	NA
DATE ANALYZED:	10/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MMK
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00101819-VOC-A602
LAB NO:	28761
SAMPLE TYPE:	AIR
DATE SAMPLED:	10/18/00
TIME SAMPLED:	NA
DATE ANALYZED:	10/21/00
PRESSURE (PSIG):	-1.2

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.45	1.0	2.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.48	0.41	0.99
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.25	1.1	1.4
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.15	0.32	0.48
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.38	0.75	1.4
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A602
LAB NO: 28761
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: KMM
DATE: 10/24/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00101819-VOC-A508
LAB NO:	28762
SAMPLE TYPE:	AIR
DATE SAMPLED:	10/18/00
TIME SAMPLED:	NA
DATE ANALYZED:	10/21/00
PRESSURE (PSIG):	NA

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	1.0	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00101819-VOC-A508
LAB NO: 28702
SAMPLE TYPE: AIR
DATE SAMPLED: 10/18/00
TIME SAMPLED: NA

DATE ANALYZED: 10/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: KMS
DATE: 10/24/00

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK1020-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 10/20/00

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 28762-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 10/20/00

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	72	76	5.2	25	60 - 140
1,2-DICHLOROETHANE	81	83	2.6	25	60 - 140
BENZENE	86	84	1.9	25	60 - 140
TRICHLOROETHENE	82	79	2.7	25	60 - 140
TETRACHLOROETHENE	97	97	0.3	25	60 - 140
XYLENE	83	84	0.7	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-101819

Bill to: IT Corporation
4005 Port Chicago Highway
Concord, CA. 94520

Report to: IT Corporation
4005 Port Chicago Highway
Concord, CA. 94520
Attn: Pam Bauer

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: E. Diaz, A. Cortez
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 85554
Required Report Date: See PAM

Samples Shipment Date: 10/19/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Cliff Foreman
Carrier/Waybill No.: Courier

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Date Collected	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
NOT COLLECTED		PARCEL E, STATION A	10/18/00	0.00	Jar & Envelope	ICE	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION B	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION C.	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION D	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION E	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION F	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, STATION G	10/18/00	0.00	"	"	TO-4 & TO-13 & TO-9m		
NOT COLLECTED		PARCEL E, PUF-BLANK	10/18/00	NA	"	"	TO-4 & TO-13 & TO-9m		
00101819-VOC-A430	AC, ED	PARCEL E, STATION A	10/18/00	2.00	SUMMA	None	TO-14a See Note		28756
00101819-VOC-A601	AC, ED	PARCEL E, STATION B	10/18/00	0.00	"	"	TO-14a		28757
00101819-VOC-A112	AC, ED	PARCEL E, STATION C	10/18/00	6.00	"	"	TO-14a		28758
00101819-VOC-A636	AC, ED	PARCEL E, STATION D	10/18/00	4.00	"	"	TO-14a		28759
00101819-VOC-A202	AC, ED	PARCEL E, STATION E	10/18/00	4.00	"	"	TO-14a		28760
00101819-VOC-A602	AC, ED	PARCEL E, STATION F	10/18/00	6.00	"	"	TO-14a		28761
NOT COLLECTED		PARCEL E, STATION G	10/18/00	0.00	"	"	TO-14a		—
00101819-VOC-A508	AC, ED	PARCEL E, VOC-BLANK	10/18/00	NA	"	"	TO-14a		28762
NOT COLLECTED		PARCEL E, STATION A	10/18/00	0.00	Envelope	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION B	10/18/00	0.00	"	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION C	10/18/00	0.00	"	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION D	10/18/00	0.00	"	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION E	10/18/00	0.00	"	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION F	10/18/00	0.00	"	"	Full Suite Metals		
NOT COLLECTED		PARCEL E, STATION G	10/18/00	0.00			Full Suite Metals		
NOT COLLECTED		PARCEL E, TSP-BLANK	10/18/00	NA	"	"	Full Suite Metals		

Special Instructions: Analyze for full suite in reference methods. Additionally, include analyses per conversations with IT for low res. dioxins and furans.

Possible Hazard ID: none | Sample Disposal: By Lab | Turnaround Time Required: 3 day turnaround | QC Level: See PAM

1. Relinquished by (Signature/Affiliation)	Date: 10/19/00 Time: 1324	1. Received by (Signature/Affiliation) — Date: 10 19 00 Time: 1:20
2. Relinquished by (Signature/Affiliation) — Cortez	Date: 10/19/00 Time: 421	2. Received by (Signature/Affiliation) — CKagel — Date: 10-19-00 Time: 4:25
3. Relinquished by (Signature/Affiliation)	Date: Time:	3. Received by (Signature/Affiliation) — Date: Time:

Comments: Fax Preliminary results to Cliff Foreman (1-415-671-2809)

101819JJXLS CCC
H. Sowles, Excel 5/7-Win 95
TSP and PM-10 Volume Calcs

Formulas Verified 10/16/97

10/19/00 1:06 PM