K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 11/14/00

TO: Mr. J. D. Lenzen
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAKmcw 11/14/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00110102-PUF-2779	AIR	11/01/00	29106
00110102-PUF-2780	AIR	11/01/00	29107
00110102-PUF-2781	AIR	11/01/00	29108
00110102-PUF-2782	AIR	11/01/00	29109
00110102-PUF-2783	AIR	11/01/00	29110
00110102-PUF-2759	AIR	11/01/00	29111
00110102-VOC-A417	AIR	11/01/00	29112
00110102-VOC-A112	AIR	11/01/00	29113
00110102-VOC-A601	AIR	11/01/00	29114
00110102-VOC-A621	AIR	11/01/00	29115
00110102-VOC-A430	AIR	11/01/00	29116
00110102-VOC-A603	AIR	11/01/00	29117
00110102-VOC-A426	AIR	11/01/00	29118
00110102-TSP-7491	AIR	11/01/00	29119
00110102-TSP-7492	AIR	11/01/00	29120
00110102-TSP-7493	AIR	11/01/00	29121
00110102-TSP-7504	AIR	11/01/00	29122
00110102-TSP-7505	AIR	11/01/00	29123
00110102-TSP-7496	AIR	11/01/00	29124

The above listed sample group was received on 11/03/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

SAMPLE ID:	00110102 -PUF-2779	00110102 -PUF-2780	00110102 -PUF-2781	00110102 -PUF-2782	00110102 -PUF-2783	00110102 -PUF-2759
LAB NO:	29106	29107	29108	29109	29110	29111
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/1/00	11/1/00	11/1/00	11/1/00	11/1/00	11/1/00
SAMPLE VOLUME (M^3):	325.62	334.45	312.48	316.47	322.3	308.15
DATE ANALYZED:	11/12/00	11/12/00	11/12/00	11/12/00	11/12/00	11/12/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
AROCLOR 1016	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1221	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1232	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1242	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1248	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1254	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032
AROCLOR 1260	ND	0.0031	ND	0.0030	ND	0.0032	ND	0.0032	ND	0.0031	ND	0.0032

SURROGATE % RECOVERY:

DCBP (surr)	104	106	103	108	106	112

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: MM

DATE: 11/14/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

QC SAMPLE ID:	MBLK110500	LCS110500	LCSD110500
SAMPLE TYPE:	PUF/FILT	PUF/FILT	PUF/FILT
AVG SAMPLE VOLUME (M^3):	320.01	320.01	320.01
DATES ANALYZED:	11/12/00	11/12/00	11/12/00

COMPOUND NAME	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
AROCLOR 1260	ND	0.0031	77	0.0019	82	0.0019	6.1

SURROGATE % RECOVERY:

DCBP (surr)	96	98	106

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: MMC

DATE: 11/14/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A417
LAB NO: 29112
SAMPLE TYPE: AIR
DATE SAMPLED: 11/01/00
TIME SAMPLED: NA

DATE ANALYZED: 11/6/00
PRESSURE (PSIG): -0.6

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.46	1.0	2.3
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.33	0.41	0.68
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.23	1.1	1.3
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.70	0.32	2.2
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.4	0.75	9.2
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.26	0.43	1.1
XYLENE (M+P)	1330-20-7	0.20	1.2	0.87	5.4
XYLENE (O)	95-47-6	0.10	0.42	0.43	1.8
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A417
LAB NO: 29112
SAMPLE TYPE: AIR
DATE SAMPLED: 11/1/00
TIME SAMPLED: NA

DATE ANALYZED: 11/6/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/10/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A112
LAB NO:	29113
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/01/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00
PRESSURE (PSIG):	-2.9

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	1.0	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.22	0.32	0.70
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.1	0.75	4.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.44	0.87	1.9
XYLENE (O)	95-47-6	0.10	0.13	0.43	0.56
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A112
LAB NO: 29113
SAMPLE TYPE: AIR
DATE SAMPLED: 11/1/00
TIME SAMPLED: NA

DATE ANALYZED: 11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PMC
DATE: 11/10/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A601
LAB NO:	29114
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/01/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00
PRESSURE (PSIG):	0.0

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.43	1.0	2.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.23	0.41	0.47
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.22	1.1	1.2
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.56	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.1	0.75	7.8
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.23	0.43	1.0
XYLENE (M+P)	1330-20-7	0.20	0.98	0.87	4.3
XYLENE (O)	95-47-6	0.10	0.31	0.43	1.3
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A601
LAB NO: 29114
SAMPLE TYPE: AIR
DATE SAMPLED: 11/1/00
TIME SAMPLED: NA

DATE ANALYZED: 11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/10/00

K PRIME, INC.

LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A621
LAB NO:	29115
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/01/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00
PRESSURE (PSIG):	-1.0

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.46	1.0	2.3
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.23	0.41	0.47
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.57	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.0	0.75	7.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.19	0.43	0.82
XYLENE (M+P)	1330-20-7	0.20	1.0	0.87	4.4
XYLENE (O)	95-47-6	0.10	0.32	0.43	1.4
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A621
LAB NO:	29115
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/1/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/10/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A430
LAB NO: 29116
SAMPLE TYPE: AIR
DATE SAMPLED: 11/01/00
TIME SAMPLED: NA

DATE ANALYZED: 11/7/00
PRESSURE (PSIG): 0.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.46	1.0	2.3
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.20	0.41	0.41
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.22	1.1	1.2
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.58	0.32	1.9
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.4	0.75	9.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.13	0.68	0.88
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.28	0.43	1.2
XYLENE (M+P)	1330-20-7	0.20	1.1	0.87	4.9
XYLENE (O)	95-47-6	0.10	0.33	0.43	1.4
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A130
LAB NO: 29116
SAMPLE TYPE: AIR
DATE SAMPLED: 11/1/00
TIME SAMPLED: NA

DATE ANALYZED: 11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PMK
DATE: 11/10/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A603
LAB NO:	29117
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/01/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00
PRESSURE (PSIG):	-1.5

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.45	1.0	2.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.24	0.41	0.50
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.54	0.32	1.7
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.1	0.75	7.8
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.10	0.68	0.68
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.27	0.43	1.2
XYLENE (M+P)	1330-20-7	0.20	0.92	0.87	4.0
XYLENE (O)	95-47-6	0.10	0.34	0.43	1.5
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3 DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110102-VOC-A603
LAB NO: 29117
SAMPLE TYPE: AIR
DATE SAMPLED: 11/1/00
TIME SAMPLED: NA

DATE ANALYZED: 11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/10/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A426
LAB NO:	29118
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/01/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00
PRESSURE (PSIG):	0.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.42	1.0	2.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	0.26	0.41	0.54
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.57	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.4	0.75	8.9
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.30	0.43	1.3
XYLENE (M+P)	1330-20-7	0.20	1.08	0.87	4.7
XYLENE (O)	95-47-6	0.10	0.37	0.43	1.6
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID:	00110102-VOC-A426
LAB NO:	29118
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/1/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/7/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: RAK
DATE: 11/10/00

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK1106-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/6/00

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 29118-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/7/00

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	142	85	50.8	25	60 - 140
1,2-DICHLOROETHANE	68	67	0.6	25	60 - 140
BENZENE	82	83	0.7	25	60 - 140
TRICHLOROETHENE	93	94	1.8	25	60 - 140
TETRACHLOROETHENE	112	111	0.6	25	60 - 140
XYLENE	88	88	0.3	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

% REC AND RPD FOR 1,1-DCE HIGH DUE TO SAMPLE MATRIX INTERFERENCE

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

SAMPLE ID:	00110102 TSP-7491	00110102 TSP-7492	00110102 TSP-7493	00110102 TSP-7504	00110102 TSP-7505	00110102 TSP-7496
LAB NO:	29119	29120	29121	29122	29123	29124
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/1/00	11/1/00	11/1/00	11/1/00	11/1/00	11/1/00
SAMPLE VOLUME (m3):	1801.82	1785.02	1807.97	1791.13	1773.87	1792.27
DATE ANALYZED:	11/9/00	11/9/00	11/9/00	11/9/00	11/9/00	11/9/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	39.68	2.77	51.04	2.80	40.65	2.77	76.93	2.79	36.30	2.82	36.43	2.79

DATE ANALYZED:	11/13/00		11/13/00		11/13/00		11/13/00		11/13/00		11/13/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.497	ND	2.521	ND	2.489	ND	2.512	ND	2.537	ND	2.511
ANTIMONY	ND	0.499	ND	0.504	ND	0.498	ND	0.502	ND	0.507	ND	0.502
ARSENIC	0.002	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
BARIUM	ND	0.125	ND	0.126	ND	0.124	ND	0.126	ND	0.127	ND	0.126
BERYLLIUM	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
CADMIUM	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
CHROMIUM	ND	0.050	ND	0.050	ND	0.050	ND	0.050	ND	0.051	ND	0.050
COBALT	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
COPPER	0.065	0.012	0.325	0.013	0.036	0.012	0.047	0.013	0.051	0.013	0.029	0.013
LEAD	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025
MANGANESE	0.013	0.012	0.015	0.013	0.017	0.012	0.043	0.013	ND	0.013	0.014	0.013
MERCURY	ND	0.001	ND	0.002	ND	0.001	ND	0.002	ND	0.002	ND	0.002
MOLYBDENUM	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025	ND	0.025
NICKEL	ND	0.130	ND	0.131	ND	0.129	ND	0.131	ND	0.132	ND	0.131
SELENIUM	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
SILVER	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
THALLIUM	ND	0.012	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
VANADIUM	ND	0.250	ND	0.252	ND	0.249	ND	0.251	ND	0.254	ND	0.251
ZINC	ND	0.250	ND	0.252	ND	0.249	ND	0.251	ND	0.254	ND	0.251

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/13/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 29189	MBLK1110	LCS1110	LCSD1110
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/1/00	11/11/00	11/11/00	11/11/00
SAMPLE VOLUME (m3):	1853.41	1792.01	1792.01	1792.01
DATE ANALYZED:	11/9/00	11/13/00	11/13/00	11/13/00

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.003%							
ALUMINUM		ND	2.383	91	2.383	88	2.383	3.35
ANTIMONY		ND	0.477	102	0.477	102	0.477	0.29
ARSENIC		ND	0.002	99	0.002	85	0.002	15.93
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	104	0.012	104	0.012	0.19
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	100	0.012	95	0.012	5.06
LEAD		ND	0.024	99	0.024	99	0.024	0.87
MANGANESE		ND	0.012	101	0.012	96	0.012	5.57
MERCURY		ND	0.001	99	0.001	106	0.001	6.52
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	98	0.124	94	0.124	4.15
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	95	0.238	92	0.238	4.10
ZINC		ND	0.238	84	0.238	86	0.238	3.10

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: ch

DATE: 11/13/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-110102

Bill to: IT Corporation
4005 Port Chicago Highway
Concord, CA. 94520

Report to: IT Corporation
4005 Port Chicago Highway
Concord, CA. 94520
Attn: Pam Bauer

Project Name: HPS Air Monitoring
Project Number: 773247
Sample Team/Members: A. Cortez, B. Kuhn
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 11/3/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Sample Start Date	Sample Start Time	Sample End Date	Sample End Time	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
NOT COLLECTED		PARCEL E, STATION A					0.00	Jar & Envelope		TO-4		
00110102-PUF-2779	AC, BK	PARCEL E, STATION B	11/1/00	11:13:00	11/2/00	10:19:00	325.62	"		TO-4		29106
00110102-PUF-2780	AC, BK	PARCEL E, STATION C.	11/1/00	11:27:00	11/2/00	10:30:00	334.45	"		TO-4		29107
00110102-PUF-2781	AC, BK	PARCEL E, STATION D	11/1/00	9:12:00	11/2/00	8:26:00	312.48	"		TO-4		29108
00110102-PUF-2782	AC, BK	PARCEL E, STATION E	11/1/00	9:49:00	11/2/00	8:52:00	316.47	"		TO-4		29109
00110102-PUF-2783	AC, BK	PARCEL E, STATION F	11/1/00	10:03:00	11/2/00	9:03:00	322.90	"		TO-4		29110
00110102-PUF-2759	AC, BK	PARCEL E, STATION G	11/1/00	9:29:00	1/0/00	8:41:00	308.15	"		TO-4		29111
NOT COLLECTED		PARCEL E, PUF-BLANK						"		TO-4		—
00110102-VOC-A417	AC, BK	PARCEL E, STATION A	11/1/00	10:56	11/2/00	10:17	2.00	SUMMA		TO-14a		29112
00110102-VOC-A412	AC, BK	PARCEL E, STATION B	11/1/00	11:04	11/2/00	10:18	8.00	"		TO-14a		29113
00110102-VOC-A601	AC, BK	PARCEL E, STATION C	11/1/00	11:20	11/2/00	10:30	4.00	"		TO-14a		29114
00110102-VOC-A621	AC, BK	PARCEL E, STATION D	11/1/00	9:16	11/2/00	8:25	5.00	"		TO-14a		29115
00110102-VOC-A430	AC, BK	PARCEL E, STATION E	11/1/00	9:44	11/2/00	8:50	0.00	"		TO-14a		29116
00110102-VOC-A603	AC, BK	PARCEL E, STATION F	11/1/00	9:58	11/2/00	9:02	7.00	"		TO-14a		29117
00110102-VOC-A426	AC, BK	PARCEL E, STATION G	11/1/00	8:34	11/2/00	9:04	0.00	"		TO-14a		29118
NOT COLLECTED		PARCEL E, VOC-BLANK						"		TO-14a		—
NOT COLLECTED		PARCEL E, STATION A						Envelope		IO 3.1 & IO 3.5		—
00110102-TSP-7491	AC, BK	PARCEL E, STATION B	11/1/00	11:15	11/2/00	10:24	1801.82	"		IO 3.1 & IO 3.5		29119
00110102-TSP-7492	AC, BK	PARCEL E, STATION C	11/1/00	11:31	11/2/00	10:36	1785.02	"		IO 3.1 & IO 3.5		29120
00110102-TSP-7493	AC, BK	PARCEL E, STATION D	11/1/00	9:20	11/2/00	8:36	1807.97	"		IO 3.1 & IO 3.5		29121
00110102-TSP-7504	AC, BK	PARCEL E, STATION E	11/1/00	9:53	11/2/00	8:56	1791.13	"		IO 3.1 & IO 3.5		29122
00110102-TSP-7505	AC, BK	PARCEL E, STATION F	11/1/00	10:07	11/2/00	9:00	1773.87	"		IO 3.1 & IO 3.5		29123
00110102-TSP-7496	AC, BK	PARCEL E, STATION G	11/2/00	9:38	1/0/00	8:43	1792.27			IO 3.1 & IO 3.5		29124
NOT COLLECTED		PARCEL E, TSP-BLANK						"		IO 3.1 & IO 3.5		—

Special Instructions: Analyze PUFs for PCBs only

Possible Hazard ID: none

Sample Disposal: By Lab

Turnaround Time Required: 5-day turnaround

QC Level: Per SOW

1. Relinquished by (Signature/Affiliation): E. B. Kuhn — Date: 11/3/00 Time: 14:17
2. Relinquished by (Signature/Affiliation): [illegible] / Marathon Courier — Date: 11/03/00 Time: 18:16
3. Relinquished by (Signature/Affiliation): — Date: Time:

1. Received by (Signature/Affiliation): [illegible] Marathon — Date: 11/3/00 Time: 2:19 PM
2. Received by (Signature/Affiliation): [illegible] — Date: 11/3/00 Time: 18:16
3. Received by (Signature/Affiliation): — Date: Time:

Comments: Fax Preliminary results to Brett Womack (1-415-671-2809) Sample 00110102-TSP-7505 ran slightly less than 23 hours.