# K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

## TRANSMITTAL

**DATE:** 11/15/00

**TO:** Mr. J. D. Lenzen
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

**ACCT:** 9817
**PROJ:** 773247

**FROM:** Richard A. Kagel, Ph.D.
Laboratory Director

RAK 11/15/00

**SUBJECT:** YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

| SAMPLE ID | TYPE | DATE | KPI LAB # |
|---|---|---|---|
| 00110405-PUF-2816 | AIR | 11/04/00 | 29161 |
| 00110405-PUF-2817 | AIR | 11/04/00 | 29162 |
| 00110405-PUF-2818 | AIR | 11/04/00 | 29163 |
| 00110405-PUF-2819 | AIR | 11/04/00 | 29164 |
| 00110405-PUF-2820 | AIR | 11/04/00 | 29165 |
| 00110405-PUF-2821 | AIR | 11/04/00 | 29166 |
| 00110405-PUF-2822 | AIR | 11/04/00 | 29167 |
| 00110405-VOC-A607 | AIR | 11/04/00 | 29168 |
| 00110405-VOC-A915 | AIR | 11/04/00 | 29169 |
| 00110405-VOC-A204 | AIR | 11/04/00 | 29170 |
| 00110405-VOC-A303 | AIR | 11/04/00 | 29171 |
| 00110405-VOC-A809 | AIR | 11/04/00 | 29172 |
| 00110405-VOC-A702 | AIR | 11/04/00 | 29173 |
| 00110405-VOC-A423 | AIR | 11/04/00 | 29174 |
| 00110405-TSP-7490 | AIR | 11/04/00 | 29175 |
| 00110405-TSP-7512 | AIR | 11/04/00 | 29176 |
| 00110405 TSP-7513 | AIR | 11/04/00 | 29177 |
| 00110405-TSP-7514 | AIR | 11/04/00 | 29178 |
| 00110405-TSP-7515 | AIR | 11/04/00 | 29179 |
| 00110405-TSP-7516 | AIR | 11/04/00 | 29180 |
| 00110405-TSP-7517 | AIR | 11/04/00 | 29181 |

The above listed sample group was received on 11/06/00 and tested as requested on the chain of custody document

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

| SAMPLE ID: | 00110405 -PUF-2816 | 00110405 -PUF-2817 | 00110405 -PUF-2818 | 00110405 -PUF-2819 | 00110405 -PUF-2820 | 00110405 -PUF-2821 | 00110405 -PUF-2822 * |
|---|---|---|---|---|---|---|---|
| LAB NO: | 29161 | 29162 | 29163 | 29164 | 29165 | 29166 | 29167 |
| SAMPLE TYPE: | AIR | AIR | AIR | AIR | AIR | AIR | AIR |
| DATE SAMPLED: | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 |
| SAMPLE VOLUME ($M^3$): | 331.38 | 323.05 | 331.16 | 309.35 | 331.35 | 340.7 | 327.83 |
| DATE ANALYZED: | 11/13/00 | 11/13/00 | 11/13/00 | 11/13/00 | 11/13/00 | 11/13/00 | 11/13/00 |

| COMPOUND NAME | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AROCLOR 1016 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1221 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1232 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1242 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1248 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1254 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |
| AROCLOR 1260 | ND | 0.0030 | ND | 0.0031 | ND | 0.0030 | ND | 0.0032 | ND | 0.0030 | ND | 0.0029 | ND | 0.0031 |

**SURROGATE % RECOVERY:**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DCBP (surr) | 115 | 120 | 118 | 122 | 114 | 122 | 119 |

**NOTES:**

"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)

* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: AMC

DATE: 11/15/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

| | | | |
|---|---|---|---|
| QC SAMPLE ID: | MBLK110900 | LCS110900 | LCSD110900 |
| SAMPLE TYPE: | PUF/FILT | PUF/FILT | PUF/FILT |
| AVG SAMPLE VOLUME ($M^3$): | 327.83 | 327.83 | 327.83 |
| DATES ANALYZED: | 11/15/00 | 11/15/00 | 11/15/00 |

| COMPOUND NAME | SAMPLE CONC | RL | % RECOVERY | RL | % RECOVERY | RL | RPD |
|---|---|---|---|---|---|---|---|
| AROCLOR 1260 | ND | 0.0031 | 119 | 0.0019 | 106 | 0.0019 | 11.8 |

SURROGATE % RECOVERY:

| | | | |
|---|---|---|---|
| DCBP (surr) | 123 | 126 | 115 |

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: DMC

DATE: 11/15/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

| | |
|---|---|
| **SAMPLE ID:** | 00110405-VOC-A606 |
| **LAB NO:** | 29168 |
| **SAMPLE TYPE:** | AIR |
| **DATE SAMPLED:** | 11/04/00 |
| **TIME SAMPLED:** | NA |
| **DATE ANALYZED:** | 11/8/00 |
| **PRESSURE (PSIG):** | 1.6 |

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.32 | 1.0 | 1.6 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.27 | 0.41 | 0.56 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.15 | 0.32 | 0.48 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.64 | 0.75 | 2.4 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | 0.23 | 0.87 | 1.0 |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A606
**LAB NO:** 29168
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/4/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | SAMPLE CONC | µg/cu. m MRL | SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** RMC
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

| | |
|---|---|
| **SAMPLE ID:** | 00110405-VOC-A915 |
| **LAB NO:** | 29169 |
| **SAMPLE TYPE:** | AIR |
| **DATE SAMPLED:** | 11/04/00 |
| **TIME SAMPLED:** | NA |
| **DATE ANALYZED:** | 11/8/00 |
| **PRESSURE (PSIG):** | 1.7 |

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.32 | 1.0 | 1.6 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.24 | 0.41 | 0.50 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.20 | 0.32 | 0.64 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.56 | 0.75 | 2.1 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | 0.28 | 0.87 | 1.2 |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110405-VOC-A015
LAB NO: 29169
SAMPLE TYPE: AIR
DATE SAMPLED: 11/4/00
TIME SAMPLED: NA

DATE ANALYZED: 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: RMC
DATE: 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

| | |
|---|---|
| **SAMPLE ID:** | 00110405-VOC-A204 |
| **LAB NO:** | 29170 |
| **SAMPLE TYPE:** | AIR |
| **DATE SAMPLED:** | 11/04/00 |
| **TIME SAMPLED:** | NA |
| **DATE ANALYZED:** | 11/8/00 |
| **PRESSURE (PSIG):** | -0.4 |

| | | PPB (V/V) | | µg/cu. m | |
|---|---|---|---|---|---|
| **COMPOUND NAME** | **CAS NO.** | **MRL** | **SAMPLE CONC** | **MRL** | **SAMPLE CONC** |
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.32 | 1.0 | 1.6 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.49 | 0.41 | 1.0 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.17 | 0.32 | 0.54 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.31 | 0.75 | 1.2 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

| | |
|---|---|
| **SAMPLE ID:** | 00110405-VOC-A204 |
| **LAB NO:** | 29170 |
| **SAMPLE TYPE:** | AIR |
| **DATE SAMPLED:** | 11/4/00 |
| **TIME SAMPLED:** | NA |
| **DATE ANALYZED:** | 11/8/00 |

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** RAK
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A303
**LAB NO:** 29171
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/04/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00
**PRESSURE (PSIG):** 0.9

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.34 | 1.0 | 1.7 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.40 | 0.41 | 0.83 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.19 | 0.32 | 0.61 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.47 | 0.75 | 1.8 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A303
**LAB NO:** 20171
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/4/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** MK
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A809
**LAB NO:** 29172
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/04/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00
**PRESSURE (PSIG):** -2.3

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.21 | 1.0 | 1.0 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.26 | 0.41 | 0.54 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.11 | 0.32 | 0.35 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.32 | 0.75 | 1.2 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A809
**LAB NO:** 29172
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/4/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | SAMPLE CONC | µg/cu. m MRL | SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** MK
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A702
**LAB NO:** 29173
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/04/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00
**PRESSURE (PSIG):** -1.1

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | 0.35 | 1.0 | 1.7 |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | 0.40 | 0.41 | 0.83 |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | 0.20 | 0.32 | 0.64 |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | 0.44 | 0.75 | 1.7 |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A702
**LAB NO:** 29173
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/4/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | SAMPLE CONC | µg/cu. m MRL | SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** MMC
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

| | |
|---|---|
| **SAMPLE ID:** | 00110405-VOC-A423 |
| **LAB NO:** | 29174 |
| **SAMPLE TYPE:** | AIR |
| **DATE SAMPLED:** | 11/04/00 |
| **TIME SAMPLED:** | NA |
| **DATE ANALYZED:** | 11/8/00 |
| **PRESSURE (PSIG):** | NA |

| | | PPB (V/V) | | µg/cu. m | |
|---|---|---|---|---|---|
| **COMPOUND NAME** | **CAS NO.** | **MRL** | **SAMPLE CONC** | **MRL** | **SAMPLE CONC** |
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | ND | 1.0 | ND |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | ND | 0.41 | ND |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 1.0 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | ND | 0.32 | ND |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | ND | 0.75 | ND |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4 DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**K PRIME, INC.**
**LABORATORY REPORT**

**K PRIME PROJECT: 9817**
**CLIENT PROJECT: 773247**

**METHOD: VOC'S IN AIR**
**REFERENCE: TO14 (GC-MS-SCAN)**

**SAMPLE ID:** 00110405-VOC-A423
**LAB NO:** 29174
**SAMPLE TYPE:** AIR
**DATE SAMPLED:** 11/4/00
**TIME SAMPLED:** NA

**DATE ANALYZED:** 11/8/00

| TENTATIVELY IDENTIFIED COMPOUND NAME | CAS NO. | ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| | | 1.0 | ND | 2.4 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 4.9 | ND |
| | | 1.0 | ND | 5.5 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |
| | | 1.0 | ND | 4.1 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**APPROVED BY:** [signature]
**DATE:** 11/14/00

**K PRIME, INC.**
**LABORATORY METHOD BLANK REPORT**

**SAMPLE ID:** MBLK1108-01
**SAMPLE TYPE:** AIR

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

**DATE ANALYZED:** 11/8/00

| COMPOUND NAME | CAS NO. | PPB (V/V) MRL | PPB (V/V) SAMPLE CONC | µg/cu. m MRL | µg/cu. m SAMPLE CONC |
|---|---|---|---|---|---|
| DICHLORODIFLUOROMETHANE | 75-71-8 | 0.20 | ND | 0.99 | ND |
| DICHLOROTETRAFLUOROETHANE | 76-14-2 | 0.20 | ND | 1.4 | ND |
| CHLOROMETHANE | 74-87-3 | 0.20 | ND | 0.41 | ND |
| VINYL CHLORIDE | 75-01-4 | 0.10 | ND | 0.26 | ND |
| BROMOMETHANE | 74-83-9 | 0.20 | ND | 0.78 | ND |
| CHLOROETHANE | 75-00-3 | 0.20 | ND | 0.53 | ND |
| TRICHLOROFLUOROMETHANE | 75-69-4 | 0.20 | ND | 1.1 | ND |
| 1,1-DICHLOROETHENE | 75-35-4 | 0.10 | ND | 0.40 | ND |
| TRICHLOROTRIFLUOROETHANE | 76-13-1 | 1.0 | ND | 7.7 | ND |
| METHYLENE CHLORIDE | 75-09-2 | 0.50 | ND | 1.7 | ND |
| 1,1-DICHLOROETHANE | 75-34-3 | 0.10 | ND | 0.40 | ND |
| CIS-1,2-DICHLOROETHENE | 156-59-2 | 0.10 | ND | 0.40 | ND |
| CHLOROFORM | 67-66-3 | 0.20 | ND | 0.98 | ND |
| 1,1,1-TRICHLOROETHANE | 71-55-6 | 0.20 | ND | 1.1 | ND |
| CARBON TETRACHLORIDE | 56-23-5 | 0.10 | ND | 0.63 | ND |
| 1,2-DICHLOROETHANE | 107-06-2 | 0.10 | ND | 0.40 | ND |
| BENZENE | 71-43-2 | 0.10 | ND | 0.32 | ND |
| TRICHLOROETHENE | 79-01-6 | 0.10 | ND | 0.54 | ND |
| 1,2-DICHLOROPROPANE | 78-87-5 | 0.20 | ND | 0.92 | ND |
| TRANS-1,3-DICHLOROPROPENE | 10061-02-6 | 0.20 | ND | 0.91 | ND |
| TOLUENE | 108-88-3 | 0.20 | ND | 0.75 | ND |
| CIS-1,3-DICHLOROPROPENE | 10061-01-5 | 0.20 | ND | 0.91 | ND |
| 1,1,2-TRICHLOROETHANE | 79-00-5 | 0.50 | ND | 2.7 | ND |
| TETRACHLOROETHENE | 127-18-4 | 0.10 | ND | 0.68 | ND |
| 1,2-DIBROMOETHANE | 106-93-4 | 0.10 | ND | 0.77 | ND |
| CHLOROBENZENE | 108-90-7 | 0.10 | ND | 0.46 | ND |
| ETHYLBENZENE | 100-41-4 | 0.10 | ND | 0.43 | ND |
| XYLENE (M+P) | 1330-20-7 | 0.20 | ND | 0.87 | ND |
| XYLENE (O) | 95-47-6 | 0.10 | ND | 0.43 | ND |
| STYRENE | 100-42-5 | 0.10 | ND | 0.43 | ND |
| 1,1,2,2-TETRACHLOROETHANE | 79-34-5 | 0.50 | ND | 3.4 | ND |
| 1,3,5-TRIMETHYLBENZENE | 108-67-8 | 0.50 | ND | 2.5 | ND |
| 1,2,4-TRIMETHYLBENZENE | 95-63-6 | 0.50 | ND | 2.5 | ND |
| 1,3-DICHLOROBENZENE | 541-73-1 | 0.50 | ND | 3.0 | ND |
| 1,4-DICHLOROBENZENE | 106-46-7 | 0.50 | ND | 3.0 | ND |
| 1,2-DICHLOROBENZENE | 95-50-1 | 0.50 | ND | 3.0 | ND |
| 1,2,4-TRICHLOROBENZENE | 120-82-1 | 1.0 | ND | 7.4 | ND |
| HEXACHLOROBUTADIENE | 87-68-3 | 1.0 | ND | 11 | ND |

**NOTES:**
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

**K PRIME, INC.**
**LABORATORY QUALITY CONTROL REPORT**

**SAMPLE ID:** 29138-MS/MSD
**SAMPLE TYPE:** AIR

**METHOD: VOC'S IN AIR**
**REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)**

**DATE ANALYZED:** 11/14/00

| COMPOUND NAME | SPIKE % REC | DUP % REC | RPD | QC LIMITS RPD | QC LIMITS % REC |
|---|---|---|---|---|---|
| 1,1-DICHLOROETHENE | 107 | 84 | 24 | 25 | 60 - 140 |
| 1,2-DICHLOROETHANE | 98 | 79 | 21 | 25 | 60 - 140 |
| BENZENE | 96 | 76 | 21 | 25 | 60 - 140 |
| TRICHLOROETHENE | 101 | 81 | 22 | 25 | 60 - 140 |
| TETRACHLOROETHENE | 101 | 81 | 21 | 25 | 60 - 140 |
| XYLENE | 97 | 80 | 18 | 25 | 60 - 140 |

**NOTES:**
NA - NOT APPLICABLE OR AVAILABLE

**K PRIME, INC.**
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| SAMPLE ID: | 00110405 TSP-7490 | 00110405 TSP-7512 | 00110405 TSP-7513 | 00110405 TSP-7514 | 00110405 TSP-7515 | 00110405 TSP-7516 | 00110405 TSP-7517 * |
| LAB NO: | 29175 | 29176 | 29177 | 29178 | 29179 | 29180 | 29181 |
| SAMPLE TYPE: | AIR | AIR | AIR | AIR | AIR | AIR | AIR |
| DATE SAMPLED: | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 | 11/4/00 |
| SAMPLE VOLUME (m3): | 1785.80 | 1762.92 | 1711.67 | 1893.87 | 1888.71 | 1851.79 | 1824.13 |
| DATE ANALYZED: | 11/9/00 | 11/9/00 | 11/9/00 | 11/9/00 | 11/9/00 | 11/9/00 | 11/9/00 |

| COMPOUND NAME | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PARTICULATE MATTER | 16.50 | 2.80 | 29.89 | 2.80 | 42.30 | 2.92 | 55.44 | 2.64 | 41.40 | 2.65 | 33.64 | 2.66 | ND | 2.74 |

| DATE ANALYZED: | 11/13/00 | | 11/13/00 | | 11/13/00 | | 11/13/00 | | 11/13/00 | | 11/13/00 | | 11/13/00 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COMPOUND NAME | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL | SAMPLE CONC | RL |
| ALUMINUM | ND | 2.520 | ND | 2.524 | ND | 2.629 | ND | 2.376 | ND | 2.383 | ND | 2.391 | ND | 2.467 |
| ANTIMONY | ND | 0.504 | ND | 0.505 | ND | 0.526 | ND | 0.475 | ND | 0.477 | ND | 0.478 | ND | 0.493 |
| ARSENIC | ND | 0.002 | ND | 0.002 | ND | 0.002 | ND | 0.002 | ND | 0.002 | ND | 0.002 | ND | 0.002 |
| BARIUM | ND | 0.126 | ND | 0.126 | ND | 0.131 | ND | 0.119 | ND | 0.119 | ND | 0.120 | ND | 0.123 |
| BERYLLIUM | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| CADMIUM | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| CHROMIUM | ND | 0.050 | ND | 0.050 | ND | 0.053 | ND | 0.048 | ND | 0.048 | ND | 0.048 | ND | 0.049 |
| COBALT | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| COPPER | 0.017 | 0.013 | 0.019 | 0.013 | 0.150 | 0.013 | 0.018 | 0.012 | 0.014 | 0.012 | 0.027 | 0.012 | ND | 0.012 |
| LEAD | ND | 0.025 | ND | 0.025 | ND | 0.026 | ND | 0.024 | ND | 0.024 | ND | 0.024 | ND | 0.025 |
| MANGANESE | ND | 0.013 | ND | 0.013 | 0.018 | 0.013 | 0.038 | 0.012 | 0.027 | 0.012 | 0.016 | 0.012 | ND | 0.012 |
| MERCURY | ND | 0.002 | ND | 0.002 | ND | 0.002 | ND | 0.001 | ND | 0.001 | ND | 0.001 | ND | 0.001 |
| MOLYBDENUM | ND | 0.025 | ND | 0.025 | ND | 0.026 | ND | 0.024 | ND | 0.024 | ND | 0.024 | ND | 0.025 |
| NICKEL | ND | 0.131 | ND | 0.131 | ND | 0.137 | ND | 0.124 | ND | 0.124 | ND | 0.124 | ND | 0.128 |
| SELENIUM | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| SILVER | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| THALLIUM | ND | 0.013 | ND | 0.013 | ND | 0.013 | ND | 0.012 | ND | 0.012 | ND | 0.012 | ND | 0.012 |
| VANADIUM | ND | 0.252 | ND | 0.252 | ND | 0.263 | ND | 0.235 | ND | 0.238 | ND | 0.239 | ND | 0.247 |
| ZINC | ND | 0.252 | ND | 0.252 | ND | 0.263 | ND | 0.238 | ND | 0.238 | ND | 0.239 | ND | 0.247 |

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]
DATE: 11/14/00

# K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

| QC SAMPLE ID: | FILTER DUP 29189 | MBLK1110 | LCS1110 | LCSD1110 |
|---|---|---|---|---|
| SAMPLE TYPE: | AIR | AIR | AIR | AIR |
| DATE SAMPLED: | 11/4/00 | 11/11/00 | 11/11/00 | 11/11/00 |
| SAMPLE VOLUME (m3): | 1850.41 | 1824.13 | 1824.13 | 1824.13 |
| DATE ANALYZED: | 11/9/00 | 11/13/00 | 11/13/00 | 11/13/00 |

| COMPOUND NAME | RPD | SAMPLE CONC | RL | % RECOVERY | RL | % RECOVERY | RL | RPD |
|---|---|---|---|---|---|---|---|---|
| PARTICULATE MATTER | 0.033% | | | | | | | |
| ALUMINUM | | ND | 2.383 | 91 | 2.383 | 88 | 2.383 | 3.35 |
| ANTIMONY | | ND | 0.477 | 102 | 0.477 | 102 | 0.477 | 0.29 |
| ARSENIC | | ND | 0.002 | 99 | 0.002 | 85 | 0.002 | 15.93 |
| BARIUM | | ND | 0.119 | NA | 0.119 | NA | 0.119 | NA |
| BERYLLIUM | | ND | 0.012 | 104 | 0.012 | 104 | 0.012 | 0.19 |
| CADMIUM | | ND | 0.012 | NA | 0.012 | NA | 0.012 | NA |
| CHROMIUM | | ND | 0.119 | NA | 0.119 | NA | 0.119 | NA |
| COBALT | | ND | 0.012 | NA | 0.012 | NA | 0.012 | NA |
| COPPER | | ND | 0.012 | 100 | 0.012 | 95 | 0.012 | 5.06 |
| LEAD | | ND | 0.024 | 99 | 0.024 | 99 | 0.024 | 0.87 |
| MANGANESE | | ND | 0.012 | 101 | 0.012 | 96 | 0.012 | 5.57 |
| MERCURY | | ND | 0.001 | 99 | 0.001 | 106 | 0.001 | 6.52 |
| MOLYBDENUM | | ND | 0.024 | NA | 0.024 | NA | 0.024 | NA |
| NICKEL | | ND | 0.124 | 98 | 0.124 | 94 | 0.124 | 4.15 |
| SELENIUM | | ND | 0.012 | NA | 0.012 | NA | 0.012 | NA |
| SILVER | | ND | 0.012 | NA | 0.012 | NA | 0.012 | NA |
| THALLIUM | | ND | 0.012 | NA | 0.012 | NA | 0.012 | NA |
| VANADIUM | | ND | 0.238 | 95 | 0.238 | 92 | 0.238 | 4.10 |
| ZINC | | ND | 0.238 | 84 | 0.238 | 86 | 0.238 | 3.10 |

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/14/00

**INTERNATIONAL TECHNOLOGY CORPORATION**

# ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-110405



Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeamMembers: A. Cortez, E. Diaz, S. Kuhn
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 11/6/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

| Sample Number | Sampler | Location | Sample Start Date | Sample Start Time | Sample End Date | Sample End Time | Sample Volume (Cubic meters) | Container Type | Preservative | Requested Testing Program | KPI # Occupation on Receipt | Disposal Record No. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 00110405-PUF-2816 | AC, ED, BK | PARCEL E, STATION A | 11/4/00 | 10:17:00 | 11/5/00 | 10:17:00 | 331.38 | Jar & Envelope | | TO-4 | 29161 | |
| 00110405-PUF-2817 | AC, ED, BK | PARCEL E, STATION B | 11/4/00 | 10:25:00 | 11/5/00 | 9:24:00 | 323.05 | " | | TO-4 | 29162 | |
| 00110405-PUF-2818 | AC, ED, BK | PARCEL E, STATION C. | 11/4/00 | 10:34:00 | 11/5/00 | 9:31:00 | 331.16 | " | | TO-4 | 29163 | |
| 00110405-PUF-2819 | AC, ED, BK | PARCEL E, STATION D | 11/4/00 | 9:17:00 | 11/5/00 | 9:41:00 | 309.35 | " | | TO-4 | 29164 | |
| 00110405-PUF-2820 | AC, ED, BK | PARCEL E, STATION E | 11/4/00 | 9:32:00 | 11/5/00 | 9:54:00 | 331.35 | " | | TO-4 | 29165 | |
| 00110405-PUF-2821 | AC, ED, BK | PARCEL E, STATION F | 11/4/00 | 9:41:00 | 11/5/00 | 10:01:00 | 340.70 | " | | TO-4 | 29166 | |
| NOT COLLECTED | | PARCEL E, STATION G | | | | | | " | | TO-4 | — | |
| 00110405-PUF-2822 | AC, ED, BK | PARCEL E, PUF-BLANK | 11/4/00 | NA | 11/5/00 | NA | NA | " | | TO-4 | 29167 | |
| 00110405-VOC-A606 | AC, ED, BK | PARCEL E, STATION A | 11/4/00 | 0.42569 | 11/5/00 | 9:17 | 0.00 psi | SUMMA | | TO-14a | 29168 | |
| 00110405-VOC-A915 | AC, ED, BK | PARCEL E, STATION B | 11/4/00 | 0.43333 | 11/5/00 | 9:27 | 0.00 | " | | TO-14a | 29169 | |
| 00110405-VOC-A204 | AC, ED, BK | PARCEL E, STATION C | 11/4/00 | 0.44028 | 11/5/00 | 9:35 | 4.00 | " | | TO-14a | 29170 | |
| 00110405-VOC-A303 | AC, ED, BK | PARCEL E, STATION D | 11/4/00 | 0.38611 | 11/5/00 | 9:43 | 2.50 | " | | TO-14a | 29171 | |
| 00110405-VOC-A809 | AC, ED, BK | PARCEL E, STATION E | 11/4/00 | 0.39583 | 11/5/00 | 9:55 | 8.00 | " | | TO-14a | 29172 | |
| 00110405-VOC-A702 | AC, ED, BK | PARCEL E, STATION F | 11/4/00 | 0.40278 | 11/5/00 | 10:03 | 5.50 | " | | TO-14a | 29173 | |
| NOT COLLECTED | | PARCEL E, STATION G | | | | | | " | | TO-14a | — | |
| 00110405-VOC-A423 | AC, ED, BK | PARCEL E, VOC-BLANK | 11/4/00 | NA | 11/5/00 | NA | NA | " | | TO-14a | 29174 | |
| 00110405-TSP-7490 | AC, ED, BK | PARCEL E, STATION A | 11/4/00 | 0.42917 | 11/5/00 | 9:20 | 1785.80 | Envelope | | IO 3.1 & IO 3.5 | 29175 | |
| 00110405-TSP-7512 | AC, ED, BK | PARCEL E, STATION B | 11/4/00 | 0.43542 | 11/5/00 | 9:29 | 1782.92 | " | | IO 3.1 & IO 3.5 | 29176 | |
| 00110405-TSP-7513 | AC, ED, BK | PARCEL E, STATION C | 11/4/00 | 0.44236 | 11/5/00 | 8:47 | 1711.67 | " | | IO 3.1 & IO 3.5 | 29177 | |
| 00110405-TSP-7514 | AC, ED, BK | PARCEL E, STATION D | 11/4/00 | 0.39028 | 11/5/00 | 9:50 | 1893.87 | " | | IO 3.1 & IO 3.5 | 29178 | |
| 00110405-TSP-7515 | AC, ED, BK | PARCEL E, STATION E | 11/4/00 | 0.39583 | 11/5/00 | 9:58 | 1888.71 | " | | IO 3.1 & IO 3.5 | 29179 | |
| 00110405-TSP-7516 | AC, ED, BK | PARCEL E, STATION F | 11/4/00 | 0.40556 | 11/5/00 | 10:05 | 1881.79 | " | | IO 3.1 & IO 3.5 | 29180 | |
| NOT COLLECTED | | PARCEL E, STATION G | | | | | | | | IO 3.1 & IO 3.5 | — | |
| 00110405-TSP-7517 | AC, ED, BK | PARCEL E, TSP-BLANK | 11/4/00 | NA | 11/5/00 | | NA | " | | IO 3.1 & IO 3.5 | 29181 | |

Special Instructions: Analyze PUFs for PCBs only.

Possible Hazard ID: none

Sample Disposal: By Lab

Turnaround Time Required: 5 day turnaroun

QC Level: Per SOW

| | | |
|---|---|---|
| 1. Relinquished by (Signature/Affiliation) | Date: 11-6-00 Time: 1303 | 1. Received by (Signature/Affiliation) Emel — Date: 11-6-00 Time: 1:00 |
| 2. Relinquished by (Signature/Affiliation) Emel | Date: 11-6-00 Time: 8:00 | 2. Received by (Signature/Affiliation) Charlotte Moon — Date: 11-06-00 Time: 7:00 |
| 3. Relinquished by (Signature/Affiliation) | Date: Time: | 3. Received by (Signature/Affiliation) — Date: Time: |

Comments: For Preliminary results to Brett Womack (1-415-671-2609). Sample 00110405-TSP-7513 will be a representative sample only. Samples 00110405-PUF-2816, 00110405-PUF-2817 & 00110405-PUF-2818 ran slightly less than 23 hours.