K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 11/21/00

TO: Ms. Suman Sharma
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D.
Laboratory Director

RAK 11/21/00

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00110708-PUF-2837	AIR	11/07/00	29227
00110708-PUF-2838	AIR	11/07/00	29228
00110708-PUF-2840	AIR	11/07/00	29229
00110708-PUF-2841	AIR	11/07/00	29230
00110708-PUF-2842	AIR	11/07/00	29231
00110708-PUF-2843	AIR	11/07/00	29232
00110708-VOC-A-704	AIR	11/07/00	29233
00110708-VOC-A-429	AIR	11/07/00	29234
00110708-VOC-A-511	AIR	11/07/00	29235
00110708-VOC-A-420	AIR	11/07/00	29236
00110708-VOC-A-805	AIR	11/07/00	29237
00110708-VOC-A-803	AIR	11/07/00	29238
00110708-VOC-A-703	AIR	11/07/00	29239
00110708-TSP-7518	AIR	11/07/00	29240
00110708-TSP-7519	AIR	11/07/00	29241
00110708-TSP-7521	AIR	11/07/00	29242
00110708-TSP-7522	AIR	11/07/00	29243
00110708-TSP-7523	AIR	11/07/00	29244
00110708-TSP-7524	AIR	11/07/00	29245

The above listed sample group was received on 11/09/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

SAMPLE ID:	00110708 -PUF-2837	00110708 -PUF-2838	00110708 -PUF-2840	00110708 -PUF-2841	00110708 -PUF-2842	00110708 -PUF-2843
LAB NO:	29227	29228	29229	29230	29231	29232
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/7/00	11/7/00	11/7/00	11/7/00	11/7/00	11/7/00
SAMPLE VOLUME (M^3):	303.56	323.67	322.51	309.59	342.43	316.24
DATE ANALYZED:	11/16/00	11/16/00	11/16/00	11/16/00	11/16/00	11/16/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
AROCLOR 1016	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1221	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1232	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1242	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1248	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1254	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	ND	0.0029	ND	0.0032
AROCLOR 1260	ND	0.0033	ND	0.0031	ND	0.0031	ND	0.0032	0.004	0.0029	ND	0.0032

SURROGATE % RECOVERY:

DCBP (surr)	123	119	123	120	118	119

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: MM

DATE: 11/16/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

QC SAMPLE ID:	MBLK111300	LCS111300	LCSD111300
SAMPLE TYPE:	PUF/FILT	PUF/FILT	PUF/FILT
AVG SAMPLE VOLUME (M^3):	319.67	319.67	319.67
DATES ANALYZED:	11/16/00	11/16/00	11/16/00

COMPOUND NAME	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
AROCLOR 1260	ND	0.0031	115	0.0019	121	0.0019	5.1

SURROGATE % RECOVERY:

DCBP (surr)	128	128	136

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-704
LAB NO:	29233
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	-7"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.40	0.82	2.0	4.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.40	ND	2.8	ND
CHLOROMETHANE	74-87-3	1.0	ND	2.1	ND
VINYL CHLORIDE	75-01-4	0.20	ND	0.51	ND
BROMOMETHANE	74-83-9	0.40	ND	1.6	ND
CHLOROETHANE	75-00-3	0.40	ND	1.1	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.40	ND	2.2	ND
1,1-DICHLOROETHENE	75-35-4	0.20	ND	0.79	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.0	ND	15	ND
METHYLENE CHLORIDE	75-09-2	1.0	ND	3.5	ND
1,1-DICHLOROETHANE	75-34-3	0.20	ND	0.81	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.20	ND	0.79	ND
CHLOROFORM	67-66-3	0.40	ND	2.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.40	ND	2.2	ND
CARBON TETRACHLORIDE	56-23-5	0.20	ND	1.3	ND
1,2-DICHLOROETHANE	107-06-2	0.20	ND	0.81	ND
BENZENE	71-43-2	0.20	0.51	0.64	1.6
TRICHLOROETHENE	79-01-6	0.20	ND	1.1	ND
1,2-DICHLOROPROPANE	78-87-5	0.40	ND	1.8	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.40	ND	1.8	ND
TOLUENE	108-88-3	0.40	1.5	1.5	5.7
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.40	ND	1.8	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.0	ND	5.5	ND
TETRACHLOROETHENE	127-18-4	0.20	ND	1.4	ND
1,2-DIBROMOETHANE	106-93-4	0.20	ND	1.5	ND
CHLOROBENZENE	108-90-7	0.20	ND	0.92	ND
ETHYLBENZENE	100-41-4	0.20	ND	0.87	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.20	ND	0.87	ND
STYRENE	100-42-5	0.20	ND	0.85	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.0	ND	6.9	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.0	ND	4.9	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.0	ND	4.9	ND
1,3-DICHLOROBENZENE	541-73-1	1.0	ND	6.0	ND
1,4-DICHLOROBENZENE	106-46-7	1.0	ND	6.0	ND
1,2-DICHLOROBENZENE	95-50-1	1.0	ND	6.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.0	ND	15	ND
HEXACHLOROBUTADIENE	87-68-3	2.0	ND	21	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-704
LAB NO: 29233
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: [signature]
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-429
LAB NO:	29234
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	0.9

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.60	1.0	3.0
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.27	1.1	1.5
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.62	0.32	2.0
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.5	0.75	5.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.14	0.68	0.95
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.23	0.87	1.0
XYLENE (O)	95-47-6	0.10	0.33	0.43	1.4
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-429
LAB NO: 29234
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MM
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-511
LAB NO: 29235
SAMPLE TYPE: AIR
DATE SAMPLED: 11/07/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00
PRESSURE (PSIG): 1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.29	1.1	1.6
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.98	0.32	3.1
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.9	0.75	7.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.11	0.68	0.75
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	1.4	0.87	6.2
XYLENE (O)	95-47-6	0.10	3.0	0.43	13
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	1.5	2.5	7.2
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	5.4	2.5	27
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-511
LAB NO: 29235
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MMC
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-420
LAB NO:	29236
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	-2.7

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	1.0	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.12	0.32	0.38
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.39	0.75	1.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-420
LAB NO: 29236
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MAK
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-805
LAB NO:	29237
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	0.5

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.66	1.0	3.3
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.30	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.13	0.63	0.82
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.40	0.32	1.3
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.1	0.75	4.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-805
LAB NO: 29237
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MM
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-803
LAB NO:	29238
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	-0.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.31	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.55	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.1	0.75	4.2
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.22	0.87	1.0
XYLENE (O)	95-47-6	0.10	0.31	0.43	1.3
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-003
LAB NO: 29238
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MAC
DATE: 11/16/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID:	00110708-VOC-A-703
LAB NO:	29239
SAMPLE TYPE:	AIR
DATE SAMPLED:	11/07/00
TIME SAMPLED:	NA
DATE ANALYZED:	11/14/00
PRESSURE (PSIG):	0.2

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.63	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.10	0.63	0.63
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.41	0.32	1.3
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.2	0.75	4.4
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.11	0.68	0.75
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.20	0.87	0.87
XYLENE (O)	95-47-6	0.10	0.22	0.43	1.0
STYRENE	100-42-5	0.10	0.10	0.43	0.43
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00110708-VOC-A-703
LAB NO: 29239
SAMPLE TYPE: AIR
DATE SAMPLED: 11/7/00
TIME SAMPLED: NA

DATE ANALYZED: 11/14/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: RM
DATE: 11/16/00

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK1114-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/14/00

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 29233-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/14/00

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	89	81	10	25	60 - 140
1,2-DICHLOROETHANE	87	78	11	25	60 - 140
BENZENE	86	77	10	25	60 - 140
TRICHLOROETHENE	90	80	11	25	60 - 140
TETRACHLOROETHENE	91	84	8	25	60 - 140
XYLENE	102	92	10	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

SAMPLE ID:	00110708 TSP-7518	00110708 TSP-7519	00110708 TSP-7521	00110708 TSP-7522	00110708 TSP-7523	00110708 TSP-7524
LAB NO:	29240	29241	29242	29243	29244	29245
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/7/00	11/7/00	11/7/00	11/7/00	11/7/00	11/7/00
SAMPLE VOLUME (m3):	1787.54	1781.10	1858.48	1793.99	1795.44	1795.44
DATE ANALYZED:	11/15/00	11/15/00	11/15/00	11/15/00	11/15/00	11/15/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	41.96	2.80	53.23	2.81	111.87	2.69	61.82	2.79	65.39	2.78	102.15	2.78

DATE ANALYZED:	11/21/00		11/21/00		11/21/00		11/21/00		11/21/00		11/21/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.517	ND	2.527	ND	2.421	ND	2.508	ND	2.506	ND	2.506
ANTIMONY	ND	0.503	ND	0.505	ND	0.484	ND	0.502	ND	0.501	ND	0.501
ARSENIC	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
BARIUM	ND	0.126	ND	0.126	ND	0.121	ND	0.125	ND	0.125	ND	0.125
BERYLLIUM	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
CADMIUM	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
CHROMIUM	ND	0.050	ND	0.051	ND	0.048	ND	0.050	ND	0.050	ND	0.050
COBALT	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
COPPER	0.026	0.013	0.073	0.013	0.032	0.012	0.030	0.013	0.084	0.013	0.026	0.013
LEAD	ND	0.025	ND	0.025	ND	0.024	ND	0.025	ND	0.025	ND	0.025
MANGANESE	0.016	0.013	0.020	0.013	0.066	0.012	0.030	0.013	0.037	0.013	0.062	0.013
MERCURY	ND	0.002	ND	0.002	ND	0.001	ND	0.002	ND	0.002	ND	0.002
MOLYBDENUM	ND	0.025	ND	0.025	ND	0.024	ND	0.025	ND	0.025	ND	0.025
NICKEL	ND	0.131	ND	0.131	ND	0.126	ND	0.130	ND	0.130	ND	0.130
SELENIUM	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
SILVER	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
THALLIUM	ND	0.013	ND	0.013	ND	0.012	ND	0.013	ND	0.013	ND	0.013
VANADIUM	ND	0.252	ND	0.253	ND	0.242	ND	0.251	ND	0.251	ND	0.251
ZINC	ND	0.252	ND	0.253	ND	0.242	ND	0.251	ND	0.251	ND	0.251

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/21/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 29240	MBLK1121	LCS1121	LCSD1121
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/7/00	11/11/00	11/11/00	11/11/00
SAMPLE VOLUME (m3):	1787.54	1802.00	1802.00	1802.00
DATE ANALYZED:	11/15/00	11/21/00	11/21/00	11/21/00

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.011%							
ALUMINUM		ND	2.383	85	2.383	97	2.383	14.12
ANTIMONY		ND	0.477	111	0.477	116	0.477	4.40
ARSENIC		ND	0.002	89	0.002	110	0.002	20.51
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	121	0.012	129	0.012	6.57
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	103	0.012	108	0.012	3.98
LEAD		ND	0.024	112	0.024	117	0.024	4.45
MANGANESE		ND	0.012	104	0.012	109	0.012	4.88
MERCURY		ND	0.001	103	0.001	105	0.001	1.36
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	103	0.124	105	0.124	1.82
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	100	0.238	103	0.238	2.63
ZINC		ND	0.238	92	0.238	97	0.238	5.87

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: dw

DATE: 11/21/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-110708

Page 1 of 1

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: A. Cortez, B. Kuhn
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 11/9/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Sample Start Date	Sample Start Time	Sample End Date	Sample End Time	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
00110708-PUF-2837	AC,BK	PARCEL E, STATION A	11/7/00	11:34:00	11/8/00	11:34:00	303.56	Jar & Envelope		TO-4		29227
00110708-PUF-2838	AC,BK	PARCEL E, STATION B	11/7/00	11:44:00	11/8/00	10:47:00	323.67	"		TO-4		29228
VOID		PARCEL E, STATION C.						"		TO-4		
00110708-PUF-2840	AC,BK	PARCEL E, STATION D	11/7/00	11:58:00	11/8/00	11:17:00	322.51	"		TO-4		29229
00110708-PUF-2841	AC,BK	PARCEL E, STATION E	11/7/00	12:24:00	11/8/00	11:38:00	309.59	"		TO-4		29230
00110708-PUF-2842	AC,BK	PARCEL E, STATION F	11/7/00	12:33:00	11/8/00	11:48:00	342.43	"		TO-4		29231
00110708-PUF-2843	AC,BK	PARCEL E, STATION G	11/7/00	12:05:00	1/0/00	11:20:00	316.24	"		TO-4		29232
NOT COLLECTED		PARCEL E, PUF-BLANK					NA	"		TO-4		
00110708-VOC-A-704	AC,BK	PARCEL E, STATION A	11/7/00	11:32	11/8/00	10:35	7.00 psi	SUMMA		TO-14a		29233
00110708-VOC-A-429	AC,BK	PARCEL E, STATION B	11/7/00	11:42	11/8/00	10:45	4.00	"		TO-14a		29234
00110708-VOC-A-511	AC,BK	PARCEL E, STATION C	11/7/00	8:15	11/8/00	7:19	1.00	"		TO-14a		29235
00110708-VOC-A-420	AC,BK	PARCEL E, STATION D	11/7/00	11:54	11/8/00	11:13	9.00	"		TO-14a		29236
00110708-VOC-A-805	AC,BK	PARCEL E, STATION E	11/7/00	12:25	11/8/00	11:32	0.00	"		TO-14a		29237
00110708-VOC-A-803	AC,BK	PARCEL E, STATION F	11/7/00	12:32	11/8/00	11:41	2.00	"		TO-14a		29238
00110708-VOC-A-703	AC,BK	PARCEL E, STATION G	11/7/00	12:03	11/8/00	11:34	4.00	"		TO-14a		29239
NOT COLLECTED		PARCEL E, VOC-BLANK					NA	"		TO-14a		
00110708-TSP-7518	AC,BK	PARCEL E, STATION A	11/7/00	11:37	11/8/00	10:43	1787.54	Envelope		IO 3.1 & IO 3.5		29240
00110708-TSP-7519	AC,BK	PARCEL E, STATION B	11/7/00	11:47	11/8/00	10:48	1781.10	"		IO 3.1 & IO 3.5		29241
VOID	AC,BK	PARCEL E, STATION C					0.00	"		IO 3.1 & IO 3.5		
00110708-TSP-7521	AC,BK	PARCEL E, STATION D	11/7/00	12:01	11/8/00	12:02	1858.48	"		IO 3.1 & IO 3.5		29242
00110708-TSP-7522	AC,BK	PARCEL E, STATION E	11/7/00	12:27	11/8/00	11:38	1793.99	"		IO 3.1 & IO 3.5		29243
00110708-TSP-7523	AC,BK	PARCEL E, STATION F	11/7/00	12:36	11/8/00	11:47	1795.44	"		IO 3.1 & IO 3.5		29244
00110708-TSP-7524	AC,BK	PARCEL E, STATION G	11/7/00	12:11	11/8/00	11:22	1795.44			IO 3.1 & IO 3.5		29245
NOT COLLECTED		PARCEL E, TSP-BLANK					NA	"		IO 3.1 & IO 3.5		

Special Instructions: Analyze PUFs for PCBs only. Returning one void PUF sample.

Possible Hazard ID: none

Sample Disposal: By Lab

Turnaround Time Required: 5 day turnaround

QC Level: Per SOW

1. Relinquished by (Signature/Affiliation)	Date: 11/9/00 Time: 14:40	1. Received by (Signature/Affiliation) — Date: 11-9 Time: 2:40
2. Relinquished by (Signature/Affiliation)	Date: 11-9-00 Time: 5:00 PM	2. Received by (Signature/Affiliation) — Date: 11-9-00 Time: 5:00 PM
3. Relinquished by (Signature/Affiliation)	Date: Time:	3. Received by (Signature/Affiliation) — Date: Time:

Comments: Fax Preliminary results to Brett Womack (1-415-671-2809)