K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 11/22/00

TO: Ms. Suman Sharma
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAK 11/22/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00111314-PUFAE-2887	AIR	11/13/00	29343
00111314-PUFBE-2891	AIR	11/13/00	29344
00111314-PUFCE-2892	AIR	11/13/00	29345
00111314-PUFDE-2893	AIR	11/13/00	29346
00111314-PUFEE-2894	AIR	11/13/00	29347
00111314-PUFFE-2895	AIR	11/13/00	29348
00111314-PUFGE-2896	AIR	11/13/00	29349
00111314-VOCAE-A702	AIR	11/13/00	29350
00111314-VOCBE-A811	AIR	11/13/00	29351
00111314-VOCCE-A112	AIR	11/13/00	29352
00111314-VOCDE-A601	AIR	11/13/00	29353
00111314-VOCEE-A802	AIR	11/13/00	29354
00111314-VOCFE-A423	AIR	11/13/00	29355
00111314-VOCGE-A621	AIR	11/13/00	29356
00111314-TSPAE-7544	AIR	11/13/00	29357
00111314-TSPBE-7545	AIR	11/13/00	29358
00111314-TSPCE-7546	AIR	11/13/00	29359
00111314-TSPDE-7547	AIR	11/13/00	29360
00111314-TSPEE-7548	AIR	11/13/00	29361
00111314-TSPFE-7549	AIR	11/13/00	29362
00111314-TSPGE-7550	AIR	11/13/00	29363

The above listed sample group was received on 11/15/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

SAMPLE ID:	00111314 PUFAE-2847	00111314 PUFBE-2891	00111314 PUFCE-2892	00111314 PUFDE-2893	00111314 PUFEE-2894	00111314 UFFE-2895	00111314 UFGE-2896
LAB NO:	29343	29344	29345	29346	29347	29348	29349
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00
SAMPLE VOLUME (M^3):	302.55	338.75	339.91	344.06	344.13	337.73	351.24
DATE ANALYZED:	11/21/00	11/21/00	11/21/00	11/21/00	11/21/00	11/21/00	11/21/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
AROCLOR 1016	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1221	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1232	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1242	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1248	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1254	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028
AROCLOR 1260	ND	0.0033	ND	0.0030	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0028

SURROGATE % RECOVERY:

DCBP (surr)	125	121	115	129	114	121	115

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: AML

DATE: 11/22/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

QC SAMPLE ID:	MBLK111700	LCS111700	LCSD111700
SAMPLE TYPE:	PUF/FILT	PUF/FILT	PUF/FILT
AVG SAMPLE VOLUME (M^3):	336.91	336.91	336.91
DATES ANALYZED:	11/21/00	11/21/00	11/21/00

COMPOUND NAME	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
AROCLOR 1250	ND	0.0030	105	0.0019	106	0.0019	0.8

SURROGATE % RECOVERY:

DCBP (surr)	117	120	124

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: MMC

DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCAE-A702
LAB NO: 29350
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): -4"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.50	1.0	2.5
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.25	1.1	1.4
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.48	0.32	1.5
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.4	0.75	5.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.18	0.43	0.78
XYLENE (M+P)	1330-20-7	0.20	0.73	0.87	3.2
XYLENE (O)	95-47-6	0.10	0.23	0.43	1.0
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCAE-A702
LAB NO: 29350
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCBE-A811
LAB NO: 29351
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): 2.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.31	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.45	0.32	1.4
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.3	0.75	4.9
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.19	0.43	0.82
XYLENE (M+P)	1330-20-7	0.20	0.71	0.87	3.1
XYLENE (O)	95-47-6	0.10	0.28	0.43	1.2
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCBE-A811
LAB NO: 29351
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCCE-A112
LAB NO: 29352
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): 1.8

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.28	1.1	1.6
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.12	0.63	0.76
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.43	0.32	1.4
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.2	0.75	4.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.21	0.43	0.91
XYLENE (M+P)	1330-20-7	0.20	0.67	0.87	2.9
XYLENE (O)	95-47-6	0.10	0.24	0.43	1.0
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCCE-A112
LAB NO: 29352
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MM
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCDE-A601
LAB NO: 29353
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): 1.2

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.31	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.45	0.32	1.4
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.2	0.75	4.7
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.18	0.43	0.78
XYLENE (M+P)	1330-20-7	0.20	0.66	0.87	2.9
XYLENE (O)	95-47-6	0.10	0.27	0.43	1.2
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCDE-A601
LAB NO: 29353
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCEE-A802
LAB NO: 29354
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): 0.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.64	1.0	3.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	0.5	1.03	1.1
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.31	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.14	0.63	0.88
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.48	0.32	1.5
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.2	0.75	4.4
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.13	0.68	0.88
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.19	0.43	0.82
XYLENE (M+P)	1330-20-7	0.20	0.62	0.87	2.7
XYLENE (O)	95-47-6	0.10	0.23	0.43	1.0
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCCE-A802
LAB NO: 29354
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCFE-A423
LAB NO: 29355
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): 0.0

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.62	1.0	3.1
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.28	1.1	1.6
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.49	0.32	1.6
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.4	0.75	5.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.11	0.68	0.75
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.20	0.43	0.87
XYLENE (M+P)	1330-20-7	0.20	0.72	0.87	3.1
XYLENE (O)	95-47-6	0.10	0.26	0.43	1.1
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCFE-A423
LAB NO: 29355
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MBK
DATE: 11/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCGE-A621
LAB NO: 29356
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00
PRESSURE (PSIG): -2.9

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.20	1.0	1.0
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.15	0.32	0.48
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.41	0.75	1.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.23	0.87	1.0
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111314-VOCGE-A621
LAB NO: 29356
SAMPLE TYPE: AIR
DATE SAMPLED: 11/13/00
TIME SAMPLED: NA

DATE ANALYZED: 11/21/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND
		5.0	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: AMK
DATE: 11/22/00

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK1121-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/21/00

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 29373-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/21/00

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	84	85	1	25	60 - 140
1,2-DICHLOROETHANE	86	84	2	25	60 - 140
BENZENE	78	74	5	25	60 - 140
TRICHLOROETHENE	85	86	1	25	60 - 140
TETRACHLOROETHENE	90	88	2	25	60 - 140
XYLENE	85	82	3	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

SAMPLE ID:	00111314 TSPAE-7544	00111314 TSPBE-7545	00111314 TSPCE-7546	00111314 TSPDE-7547	00111314 TSPEE-7548	00111314 TSPFE-7549	00111314 TSPGE-7550
LAB NO:	29357	29358	29359	29360	29361	29362	29363
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00	11/13/00
SAMPLE VOLUME (m3):	1836.43	1853.66	1834.94	1848.46	1847.19	1846.07	1805.57
DATE ANALYZED:	11/17/00	11/17/00	11/17/00	11/17/00	11/17/00	11/17/00	11/17/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	41.38	2.72	33.52	2.70	51.34	2.72	58.10	2.70	43.25	2.71	52.43	2.71	84.13	2.77

DATE ANALYZED:	11/21/00		11/21/00		11/21/00		11/21/00		11/21/00		11/21/00		11/21/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.450	ND	2.426	ND	2.452	ND	2.434	ND	2.436	ND	2.435	ND	2.492
ANTIMONY	ND	0.490	ND	0.486	ND	0.490	ND	0.487	ND	0.487	ND	0.487	ND	0.498
ARSENIC	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
BARIUM	ND	0.123	ND	0.121	ND	0.123	ND	0.122	ND	0.122	ND	0.122	ND	0.125
BERYLLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CADMIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CHROMIUM	ND	0.049	ND	0.049	ND	0.049	ND	0.049	ND	0.049	ND	0.049	ND	0.050
COBALT	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
COPPER	0.036	0.012	0.044	0.012	0.256	0.012	0.094	0.012	0.038	0.012	0.051	0.012	0.042	0.012
LEAD	ND	0.025	ND	0.024	ND	0.025	ND	0.024	ND	0.024	ND	0.024	ND	0.025
MANGANESE	ND	0.012	ND	0.012	0.016	0.012	0.023	0.012	ND	0.012	ND	0.012	0.041	0.012
MERCURY	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001
MOLYBDENUM	ND	0.025	ND	0.024	ND	0.025	ND	0.024	ND	0.024	ND	0.024	ND	0.025
NICKEL	ND	0.127	ND	0.126	ND	0.128	ND	0.127	ND	0.127	ND	0.127	ND	0.130
SELENIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
SILVER	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
THALLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
VANADIUM	ND	0.245	ND	0.243	ND	0.245	ND	0.243	ND	0.244	ND	0.243	ND	0.249
ZINC	ND	0.245	ND	0.243	ND	0.245	ND	0.243	ND	0.244	ND	0.243	ND	0.249

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]
DATE: 11/21/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 29357	MBLK1121	LCS1121	LCSD1121
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/13/00	11/11/00	11/11/00	11/11/00
SAMPLE VOLUME (m3):	1836.43	1844.80	1844.80	1844.80
DATE ANALYZED:	11/17/00	11/21/00	11/21/00	11/21/00

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.033%							
ALUMINUM		ND	2.383	85	2.383	97	2.383	14.12
ANTIMONY		ND	0.477	111	0.477	116	0.477	4.40
ARSENIC		ND	0.002	89	0.002	110	0.002	20.51
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	121	0.012	129	0.012	6.57
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	103	0.012	108	0.012	3.98
LEAD		ND	0.024	112	0.024	117	0.024	4.45
MANGANESE		ND	0.012	104	0.012	109	0.012	4.88
MERCURY		ND	0.001	103	0.001	105	0.001	1.36
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	103	0.124	105	0.124	1.82
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	100	0.238	103	0.238	2.63
ZINC		ND	0.238	92	0.238	97	0.238	5.87

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: dr

DATE: 11/21/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-111314E

Project Name: HPS Air Monitoring
Project Number: 773247
Sample Team Members: A. Cortez, B. Kuhn
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 11/15/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Sample Start Date	Sample Start Time	Sample End Date	Sample End Time	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
00111314-PUFAE-2847	AC,BK	PARCEL E, STATION A	11/13/00	8:32	11/14/00	8:16	302.55	Jar & Envelope		TO-4		29343
00111314-PUFBE-2891	AC,BK	PARCEL E, STATION B	11/13/00	8:42	11/14/00	8:30	338.75	"		TO-4		29344
00111314-PUFCE-2892	AC,BK	PARCEL E, STATION C.	11/13/00	8:51	11/14/00	8:38	339.91	"		TO-4		29345
00111314-PUFDE-2893	AC,BK	PARCEL E, STATION D	11/13/00	9:04	11/14/00	8:47	344.06	"		TO-4		29346
00111314-PUFEE-2894	AC,BK	PARCEL E. STATION E	11/13/00	9:21	11/14/00	9:06	344.13	"		TO-4		29347
00111314-PUFFE-2895	AC,BK	PARCEL E, STATION F	11/13/00	9:30	11/14/00	9:17	337.73	"		TO-4		29348
00111314-PUFGE-2896	AC,BK	PARCEL E, STATION G	11/13/00	9:11	11/14/00	8:57	351.24	"		TO-4		29349
NOT COLLECTED		PARCEL E, PUF-BLANK					NA	"		TO-4		—
00111314-VOCAE-A702	AC,BK	PARCEL E, STATION A	11/13/00	8:26	11/14/00	8:19	6.00	SUMMA		TO-14a		29350
00111314-VOCBE-A811	AC,BK	PARCEL E, STATION B	11/13/00	8:37	11/14/00	8:32	0.00	"		TO-14a		29351
00111314-VOCCE-A112	AC,BK	PARCEL E, STATION C	11/13/00	8:46	11/14/00	8:43	0.00	"		TO-14a		29352
00111314-VOCDE-A601	AC,BK	PARCEL E, STATION D	11/13/00	8:56	11/14/00	8:59	3.00	"		TO-14a		29353
00111314-VOCEE-A802	AC,BK	PARCEL E, STATION E	11/13/00	9:15	11/14/00	9:08	2.00	"		TO-14a		29354
00111314-VOCFE-A423	AC,BK	PARCEL E, STATION F	11/13/00	9:26	11/14/00	8:57	9.00	"		TO-14a		29355
00111314-VOCGE-A621	AC,BK	PARCEL E, STATION G	11/13/00	8:59	11/14/00	9:16	0.00	"		TO-14a		29356
NOT COLLECTED		PARCEL E, VOC-BLANK					NA	"		TO-14a		—
00111314-TSPAE-7544	AC,BK	PARCEL E, STATION A	11/13/00	8:36	11/14/00	8:16	1836.43	Envelope		IO 3.1 & IO 3.5		29357
00111314-TSPBE-7545	AC,BK	PARCEL E, STATION B	11/13/00	8:43	11/14/00	8:34	1853.66	"		IO 3.1 & IO 3.5		29358
00111314-TSPCE-7546	AC,BK	PARCEL E, STATION C	11/13/00	8:57	11/14/00	8:37	1834.94	"		IO 3.1 & IO 3.5		29359
00111314-TSPDE-7547	AC,BK	PARCEL E, STATION D	11/13/00	9:00	11/14/00	8:47	1848.48	"		IO 3.1 & IO 3.5		29360
00111314-TSPEE-7548	AC,BK	PARCEL E, STATION E	11/13/00	9:19	11/14/00	9:05	1847.19	"		IO 3.1 & IO 3.5		29361
00111314-TSPFE-7549	AC,BK	PARCEL E, STATION F	11/13/00	9:28	11/14/00	9:17	1848.07	"		IO 3.1 & IO 3.5		29362
00111314-TSPGE-7550	AC,BK	PARCEL E, STATION G	11/13/00	9:07	11/14/00	8:52	1805.57			IO 3.1 & IO 3.5		29363
NOT COLLECTED		PARCEL E, TSP-BLANK					NA	"		IO 3.1 & IO 3.5		—

Special Instructions: Analyze PUFs for PCBs only

Possible Hazard ID: none | Sample Disposal: By Lab | Turnaround Time Required: 5 day turnaround | QC Level: Per SOW

1. Relinquished by (Signature/Affiliation): B. Kuhn — Date: 11/15/00 Time: 13:40
2. Relinquished by (Signature/Affiliation): [illegible] — Date: 11 15 00 Time: 4:00
3. Relinquished by (Signature/Affiliation): — Date: Time:

1. Received by (Signature/Affiliation): [illegible] — Date: 11 15 00 Time: 1:40
2. Received by (Signature/Affiliation): Charlotte Moon — Date: 11-15-00 Time: 4:00
3. Received by (Signature/Affiliation): — Date: Time:

Comments: Fax Preliminary results to Brett Womack (1-415-671-2809)