K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 11/29/00

TO: Ms. Suman Sharma
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 827-2179

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAK 11/29/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00111617-PUFAE-2911	AIR	11/16/00	29439
00111617-PUFBE-2912	AIR	11/16/00	29440
00111617-PUFCE-2913	AIR	11/16/00	29441
00111617-PUFDE-2914	AIR	11/16/00	29442
00111617-PUFEE-2915	AIR	11/16/00	29443
00111617-PUFFE-2916	AIR	11/16/00	29444
00111617-FBEPUF-2917	AIR	11/16/00	29445
00111617-VOCAE-A428	AIR	11/16/00	29446
00111617-VOCBE-A106	AIR	11/16/00	29447
00111617-VOCCE-A508	AIR	11/16/00	29448
00111617-VOCDE-A808	AIR	11/16/00	29449
00111617-VOCEE-A417	AIR	11/16/00	29450
00111617-VOCFE-A607	AIR	11/16/00	29451
00111617-FBEVOC-A807	AIR	11/16/00	29452
00111617-TSPAE-7551	AIR	11/16/00	29453
00111617-TSPBE-7552	AIR	11/16/00	29454
00111617-TSPCE-7553	AIR	11/16/00	29455
00111617-TSPDE-7554	AIR	11/16/00	29456
00111617-TSPEE-7555	AIR	11/16/00	29457
00111617-TSPFE-7556	AIR	11/16/00	29458
00111617-FBETSP-7557	AIR	11/16/00	29459

The above listed sample group was received on 11/17/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: µg/m³

SAMPLE ID:	00111617 PUFAE-2911	00111617 PUFBE-2912	00111617 PUFCE-2913	00111617 PUFDE-2914	00111617 PUFEE-2915	00111617 UFFE-2916	00111617 EPUF-2917
LAB NO:	29439	29440	29441	29442	29443	29444	29445
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/16/00	11/16/00	11/16/00	11/16/00	11/16/00	11/16/00	11/16/00
SAMPLE VOLUME (M³):	344.16	341.99	341.43	341.61	347.68	333.75	341.77
DATE ANALYZED:	11/22/00	11/22/00	11/22/00	11/22/00	11/22/00	11/22/00	11/22/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
AROCLOR 1016	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1221	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1232	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1242	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1248	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1254	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029
AROCLOR 1260	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0029	ND	0.0030	ND	0.0029

SURROGATE % RECOVERY:							
DCBP (surr)	121	117	127	125	125	126	116

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: MAK

DATE: 11/29/00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: PCBS IN AIR
REFERENCE: USEPA TO4

UNITS: $\mu g/m^3$

QC SAMPLE ID:	MBLK112000	LCS112000	LCSD112000
SAMPLE TYPE:	PUF/FILT	PUF/FILT	PUF/FILT
AVG SAMPLE VOLUME (M^3):	341.77	341.77	341.77
DATES ANALYZED:	11/22/00	11/22/00	11/22/00

COMPOUND NAME	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
AROCLOR 1260	ND	0.0029	135	0.0019	132	0.0019	2.7

SURROGATE % RECOVERY:

DCBP (surr)	124	130	130

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT (RL)
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCAE-A428
LAB NO: 29446
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): -6"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.40	0.68	2.0	3.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.40	ND	2.8	ND
CHLOROMETHANE	74-87-3	1.0	ND	2.1	ND
VINYL CHLORIDE	75-01-4	0.20	ND	0.51	ND
BROMOMETHANE	74-83-9	0.40	ND	1.6	ND
CHLOROETHANE	75-00-3	0.40	ND	1.1	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.40	ND	2.2	ND
1,1-DICHLOROETHENE	75-35-4	0.20	ND	0.79	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.0	ND	15	ND
METHYLENE CHLORIDE	75-09-2	1.0	ND	3.5	ND
1,1-DICHLOROETHANE	75-34-3	0.20	ND	0.81	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.20	ND	0.79	ND
CHLOROFORM	67-66-3	0.40	ND	2.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.40	ND	2.2	ND
CARBON TETRACHLORIDE	56-23-5	0.20	ND	1.3	ND
1,2-DICHLOROETHANE	107-06-2	0.20	ND	0.81	ND
BENZENE	71-43-2	0.20	0.64	0.64	2.0
TRICHLOROETHENE	79-01-6	0.20	ND	1.1	ND
1,2-DICHLOROPROPANE	78-87-5	0.40	ND	1.8	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.40	ND	1.8	ND
TOLUENE	108-88-3	0.40	1.7	1.5	6.4
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.40	ND	1.8	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.0	ND	5.5	ND
TETRACHLOROETHENE	127-18-4	0.20	ND	1.4	ND
1,2-DIBROMOETHANE	106-93-4	0.20	ND	1.5	ND
CHLOROBENZENE	108-90-7	0.20	ND	0.92	ND
ETHYLBENZENE	100-41-4	0.20	0.25	0.87	1.1
XYLENE (M+P)	1330-20-7	0.20	0.85	0.87	3.7
XYLENE (O)	95-47-6	0.20	0.36	0.87	1.6
STYRENE	100-42-5	0.20	ND	0.85	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.0	ND	6.9	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.0	ND	4.9	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.0	ND	4.9	ND
1,3-DICHLOROBENZENE	541-73-1	1.0	ND	6.0	ND
1,4-DICHLOROBENZENE	106-46-7	1.0	ND	6.0	ND
1,2-DICHLOROBENZENE	95-50-1	1.0	ND	6.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.0	ND	15	ND
HEXACHLOROBUTADIENE	87-68-3	2.0	ND	21	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCAE-A428
LAB NO: 29446
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND
		10	ND	41	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MRK
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCBE-A105
LAB NO: 29447
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA
DATE ANALYZED: 11/27/00
PRESSURE (PSIG): 2.3

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.65	1.0	3.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.22	1.1	1.2
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.14	0.63	0.88
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.54	0.32	1.7
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.4	0.75	5.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	0.10	0.68	0.68
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.23	0.43	1.0
XYLENE (M+P)	1330-20-7	0.20	0.74	0.87	3.2
XYLENE (O)	95-47-6	0.10	0.30	0.43	1.3
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCBE-A105
LAB NO: 29447
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MAK
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCCF-A508
LAB NO: 29448
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): 1.5

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.61	1.0	3.0
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.13	0.63	0.82
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.57	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.4	0.75	5.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.22	0.43	1.0
XYLENE (M+P)	1330-20-7	0.20	0.77	0.87	3.3
XYLENE (O)	95-47-6	0.10	0.27	0.43	1.2
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCCE-A508
LAB NO: 29448
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MM
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCDE-A808
LAB NO: 29449
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): 1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.64	1.0	3.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.21	1.1	1.2
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.13	0.63	0.82
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.56	0.32	1.8
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.7	0.75	6.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.25	0.43	1.1
XYLENE (M+P)	1330-20-7	0.20	0.99	0.87	4.3
XYLENE (O)	95-47-6	0.10	0.33	0.43	1.4
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCDE-A808
LAB NO: 29449
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PMC
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCEE-A417
LAB NO: 29450
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): 1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.65	1.0	3.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	0.54	1.0	1.1
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.71	0.32	2.3
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.0	0.75	7.5
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.29	0.43	1.3
XYLENE (M+P)	1330-20-7	0.20	1.1	0.87	4.6
XYLENE (O)	95-47-6	0.10	0.38	0.43	1.6
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCEE-A417
LAB NO: 29450
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: VMC
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCTE-A607
LAB NO: 29451
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): 0.2

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.64	1.0	3.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.30	1.1	1.7
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	0.55	1.7	1.9
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	0.11	0.63	0.69
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.67	0.32	2.1
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	2.1	0.75	7.8
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	0.32	0.43	1.4
XYLENE (M+P)	1330-20-7	0.20	1.2	0.87	5.2
XYLENE (O)	95-47-6	0.10	0.43	0.43	1.9
STYRENE	100-42-5	0.10	0.13	0.43	0.55
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-VOCFE-A607
LAB NO: 29451
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: KPK
DATE: 11/29/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-FBEVOC-A807
LAB NO: 29452
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00
PRESSURE (PSIG): NA

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	1.0	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00111617-FBEVOC-A807
LAB NO: 29452
SAMPLE TYPE: AIR
DATE SAMPLED: 11/16/00
TIME SAMPLED: NA

DATE ANALYZED: 11/27/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND
		5	ND	20	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: AMC
DATE: 11/25/00

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

SAMPLE ID: MBLK1127-01
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/27/00

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	ND	0.99	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.50	ND	1.0	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	ND	1.1	ND
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	0.98	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	ND	0.32	ND
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	ND	0.75	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	ND	0.87	ND
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

K PRIME, INC.
LABORATORY QUALITY CONTROL REPORT

SAMPLE ID: 29470-MS/MSD
SAMPLE TYPE: AIR

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

DATE ANALYZED: 11/27/00

COMPOUND NAME	SPIKE % REC	DUP % REC	RPD	QC LIMITS RPD	QC LIMITS % REC
1,1-DICHLOROETHENE	89	88	1	25	60 - 140
1,2-DICHLOROETHANE	100	94	7	25	60 - 140
BENZENE	86	78	9	25	60 - 140
TRICHLOROETHENE	98	93	6	25	60 - 140
TETRACHLOROETHENE	99	94	5	25	60 - 140
XYLENE	94	90	5	25	60 - 140

NOTES:
NA - NOT APPLICABLE OR AVAILABLE

% REC AND RPD FOR 1,1-DCE HIGH DUE TO SAMPLE MATRIX INTERFERENCE

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

SAMPLE ID:	00111617 TSPAE-7551		00111617 TSPBE-7552		00111617 TSPCE-7553		00111617 TSPDE-7554		00111617 TSPEE-7555		00111617 TSPFE-7556		00111617 FBETSP-7557	
LAB NO:	29453		29454		29455		29456		29457		29458		29459	
SAMPLE TYPE:	AIR		AIR		AIR		AIR		AIR		AIR		AIR	
DATE SAMPLED:	11/16/00		11/16/00		11/16/00		11/16/00		11/16/00		11/16/00		11/16/00	
SAMPLE VOLUME (m3):	1860.22		1861.94		1851.10		1851.51		1858.03		1859.13		1856.99	
DATE ANALYZED:	11/22/00		11/22/00		11/22/00		11/22/00		11/22/00		11/22/00		11/22/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	32.79	2.69	29.92	2.69	29.33	2.70	37.32	2.70	56.23	2.69	49.81	2.69	ND	2.69

DATE ANALYZED:	11/28/00		11/28/00		11/28/00		11/28/00		11/28/00		11/28/00		11/28/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.419	ND	2.417	ND	2.431	ND	2.430	ND	2.422	ND	2.420	ND	2.423
ANTIMONY	ND	0.484	ND	0.483	ND	0.486	ND	0.485	ND	0.484	ND	0.484	ND	0.485
ARSENIC	ND	0.002	ND	0.002	0.002	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
BARIUM	ND	0.121	ND	0.121	ND	0.122	ND	0.122	ND	0.121	ND	0.121	ND	0.121
BERYLLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CADMIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CHROMIUM	ND	0.048	ND	0.048	ND	0.049	ND	0.049	ND	0.048	ND	0.048	ND	0.048
COBALT	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
COPPER	0.045	0.012	0.065	0.012	0.531	0.012	0.065	0.012	0.058	0.012	0.086	0.012	ND	0.012
LEAD	ND	0.024	ND	0.024	ND	0.024	ND	0.024	0.029	0.024	ND	0.024	ND	0.024
MANGANESE	0.015	0.012	0.015	0.012	0.014	0.012	0.027	0.012	0.040	0.012	0.035	0.012	ND	0.012
MERCURY	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001
MOLYBDENUM	ND	0.024	ND	0.024	ND	0.024	ND	0.024	ND	0.024	ND	0.024	ND	0.024
NICKEL	ND	0.126	ND	0.126	ND	0.126	ND	0.126	ND	0.126	ND	0.126	ND	0.126
SELENIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
SILVER	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
THALLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
VANADIUM	ND	0.242	ND	0.242	ND	0.243	ND	0.243	ND	0.242	ND	0.242	ND	0.242
ZINC	ND	0.242	ND	0.242	ND	0.243	ND	0.243	ND	0.242	ND	0.242	ND	0.242

APPROVED BY: [signature]

DATE: 11/29/00

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 29453	MBLK1128	LCS1128	LCSD1128
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	11/16/00	11/11/00	11/11/00	11/11/00
SAMPLE VOLUME (m3):	1869.22	1856.99	1856.99	1856.99
DATE ANALYZED:	11/22/00	11/28/00	11/28/00	11/29/00

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.006%							
ALUMINUM		ND	2.383	96	2.383	104	2.383	8.50
ANTIMONY		ND	0.477	113	0.477	117	0.477	3.83
ARSENIC		ND	0.002	101	0.002	91	0.002	10.17
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	120	0.012	127	0.012	5.82
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	110	0.012	113	0.012	2.77
LEAD		ND	0.024	107	0.024	110	0.024	3.04
MANGANESE		ND	0.012	110	0.012	113	0.012	3.23
MERCURY		ND	0.001	98	0.001	101	0.001	2.52
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	109	0.124	113	0.124	3.33
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	105	0.238	110	0.238	5.43
ZINC		ND	0.238	101	0.238	108	0.238	6.69

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: [signature]

DATE: 11/29/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-111617E

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam Members: A. CORTEZ, B. KUHN
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 149120
Required Report Date: Per Statement of Work (SOW)

Samples Shipment Date: 11/17/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Brett Womack
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Sample Start Date	Sample Start Time	Sample End Date	Sample End Time	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
00111617-PUFAE-2911	AC, BK	PARCEL E, STATION A	11/16/00	8:39	11/17/00	8:26	344.16	Jar & Envelope		TO-4		29439
00111617-PUFBE-2912	AC, BK	PARCEL E, STATION B	11/16/00	8:48	11/17/00	8:34	341.99	"		TO-4		29440
00111617-PUFCE-2913	AC, BK	PARCEL E, STATION C	11/16/00	9:02	11/17/00	8:42	341.43	"		TO-4		29441
00111617-PUFDE-2914	AC, BK	PARCEL E, STATION D	11/16/00	9:13	11/17/00	8:53	341.61	"		TO-4		29442
00111617-PUFEE-2915	AC, BK	PARCEL E, STATION E	11/16/00	9:26	11/17/00	9:09	347.68	"		TO-4		29443
00111617-PUFFE-2916	AC, BK	PARCEL E, STATION F	11/16/00	9:37	11/17/00	9:20	333.75	"		TO-4		29444
NOT COLLECTED		PARCEL E, STATION G						"		TO-4		—
00111617-FBEPUF-2917	AC, BK	PARCEL E, PUF-BLANK	11/16/00	NA	11/17/00	NA	NA	"		TO-4		29445
00111617-VOCAE-A428	AC, BK	PARCEL E, STATION A	11/16/00	8:31	11/17/00	8:33	9.00	SUMMA		TO-14a		29446
00111617-VOCBE-A305	AC, BK	PARCEL E, STATION B	11/16/00	8:45	11/17/00	8:40	0.00	"		TO-14a		29447
00111617-VOCCE-A503	AC, BK	PARCEL E, STATION C	11/16/00	8:55	11/17/00	8:47	0.00	"		TO-14a		29448
00111617-VOCDE-A808	AC, BK	PARCEL E, STATION D	11/16/00	9:15	11/17/00	8:57	3.50	"		TO-14a		29449
00111617-VOCEE-A417	AC, BK	PARCEL E, STATION E	11/16/00	9:23	11/17/00	9:12	0.00	"		TO-14a		29450
00111617-VOCFE-A607	AC, BK	PARCEL E, STATION F	11/16/00	9:37	11/17/00	9:23	3.00	"		TO-14a		29451
NOT COLLECTED		PARCEL E, STATION G						"		TO-14a		NO ~~29452~~ 29452
00111617-FBEVOC-A807	AC, BK	PARCEL E, VOC-BLANK	11/16/00	NA	11/17/00	NA	NA	"		TO-14a		29453
00111617-TSPAE-7551	AC, BK	PARCEL E, STATION A	11/16/00	8:37	11/17/00	8:26	1860.22	Envelope		IO 3.1 & IO 3.5		29454
00111617-TSPBE-7552	AC, BK	PARCEL E, STATION B	11/16/00	8:48	11/17/00	8:36	1861.94	"		IO 3.1 & IO 3.5		29455
00111617-TSPCE-7553	AC, BK	PARCEL E, STATION C	11/16/00	9:02	11/17/00	8:44	1851.10	"		IO 3.1 & IO 3.5		29456
00111617-TSPDE-7554	AC, BK	PARCEL E, STATION D	11/16/00	9:10	11/17/00	8:50	1851.51	"		IO 3.1 & IO 3.5		29457
00111617-TSPEE-7555	AC, BK	PARCEL E, STATION E	11/16/00	9:23	11/17/00	9:11	1858.03	"		IO 3.1 & IO 3.5		29458
00111617-TSPFE-7556	AC, BK	PARCEL E, STATION F	11/16/00	9:35	11/17/00	9:22	1859.13			IO 3.1 & IO 3.5		—
NOT COLLECTED		PARCEL E, STATION G						"		IO 3.1 & IO 3.5		29459
00111617-FBETSP-7557	AC, BK	PARCEL E, TSP-BLANK	11/16/00	NA	11/17/00	NA	NA					

Special Instructions: Analyze PUFs for PCBs only
Possible Hazard ID: none
Sample Disposal: By Lab
Turnaround Time Required: 5 day turnarou
QC Level: Per SOW

1. Relinquished by (Signature/Affiliation): Date: 11-17-00 Time: 1305
2. Relinquished by (Signature/Affiliation): Date: 11-17-00 Time: 4:00
3. Relinquished by (Signature/Affiliation): Date: Time:

1. Received by (Signature/Affiliation): Date: 11-17-00 Time: 1:05
2. Received by (Signature/Affiliation) Charlotte Moon: Date: 11-17-00 Time: 4:00
3. Received by (Signature/Affiliation): Date: Time:

Comments: Fax Preliminary results to Brett Womack (1-415-671-2809)