K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 09/22/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0808

ACCT: 9817
PROJ: 7773247

FROM: Richard A. Kagel, Ph.D.
Laboratory Director RAK 9/22/00

SUBJECT: YOUR PROJECT 7773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00091617-PUFAE-2456	AIR	09/16/00	27514
00091617-PUFDC-2457	AIR	09/16/00	27515
00091617-PUFCE-2458	AIR	09/16/00	27516
00091617-PUFEE-2460	AIR	09/16/00	27517
00091617-PUFFE-2461	AIR	09/16/00	27518
00091617-FBEPUF-2455	AIR	09/16/00	27519
00091617-VOCAE-A801	AIR	09/16/00	27520
00091617-VOCDC-A513	AIR	09/16/00	27521
00091617-VOCCE-A506	AIR	09/16/00	27522
00091617-VOCDE-A606	AIR	09/16/00	27523
00091617-VOCEE-A810	AIR	09/16/00	27524
00091617-VOCFE-A508	AIR	09/16/00	27525
00091617-FBEVOC-A429	AIR	09/16/00	27526
00091617-TSPAE-7224	AIR	09/16/00	27527
00091617-TSPBE-7239	AIR	09/16/00	27528
00091617-TSPDE-7241	AIR	09/16/00	27529
00091617-TSPEE-7242	AIR	09/16/00	27530
00091617-TSPFE-7243	AIR	09/16/00	27531
00091617-FBETSP-7244	AIR	09/16/00	27532

The above listed sample group was received on 09/18/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

CC: Mr. Cliff Foreman, JADA/IT Hunters Point FAX: 415-671-2809
Mr. Brian Luscher, IT San Jose FAX: 408-437-9526

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFAE-2456
LAB NO:	27514
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	330.99
DATE ANALYZED:	9/20/00
UNITS:	µg/Cu. m

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00060	ND
B-BHC	319-85-7	0.00060	ND
LINDANE	58-89-9	0.00060	ND
HEPTACHLOR	76-44-8	0.00060	ND
D-BHC	319-86-8	0.00060	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00060	ND
ENDOSULFAN I	959-98-8	0.00060	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00121	ND
ENDRIN	72-20-8	0.00121	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00121	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00121	ND
ENDOSULFAN SULFATE	1031-07-8	0.00121	ND
METHOXYCHLOR	72-43-5	0.00604	ND
CHLORDANE	57-74-9	0.00604	ND
TOXPHENE	8001-35-2	0.01208	ND
AROCLOR 1016	12674-11-2	0.00302	ND
AROCLOR 1221	11104-28-2	0.00302	ND
AROCLOR 1232	11141-16-5	0.00302	ND
AROCLOR 1242	53469-21-9	0.00302	ND
AROCLOR 1248	12672-29-6	0.00302	ND
AROCLOR 1254	11097-69-1	0.00302	ND
AROCLOR 1260	11096-82-5	0.00302	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	113

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RM
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFBE-2457
LAB NO: 27515
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 328.33

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 9/20/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00061	ND
B-BHC	319-85-7	0.00061	ND
LINDANE	58-89-9	0.00061	ND
HEPTACHLOR	76-44-8	0.00061	ND
D-BHC	319-86-8	0.00061	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00061	ND
ENDOSULFAN I	959-98-8	0.00061	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00122	ND
ENDRIN	72-20-8	0.00122	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00122	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00122	ND
ENDOSULFAN SULFATE	1031-07-8	0.00122	ND
METHOXYCHLOR	72-43-5	0.00609	ND
CHLORDANE	57-74-9	0.00609	ND
TOXPHENE	8001-35-2	0.01218	ND
AROCLOR 1016	12674-11-2	0.00305	ND
AROCLOR 1221	11104-28-2	0.00305	ND
AROCLOR 1232	11141-16-5	0.00305	ND
AROCLOR 1242	53469-21-9	0.00305	ND
AROCLOR 1248	12672-29-6	0.00305	ND
AROCLOR 1254	11097-69-1	0.00305	ND
AROCLOR 1260	11096-82-5	0.00305	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	112

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: PMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFCE-2458
LAB NO: 27516
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 335.67

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 9/20/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00060	ND
B-BHC	319-85-7	0.00060	ND
LINDANE	58-89-9	0.00060	ND
HEPTACHLOR	76-44-8	0.00060	ND
D-BHC	319-86-8	0.00060	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00060	ND
ENDOSULFAN I	959-98-8	0.00060	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00119	ND
ENDRIN	72-20-8	0.00119	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00119	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00119	ND
ENDOSULFAN SULFATE	1031-07-8	0.00119	ND
METHOXYCHLOR	72-43-5	0.00596	ND
CHLORDANE	57-74-9	0.00596	ND
TOXPHENE	8001-35-2	0.01192	ND
AROCLOR 1016	12674-11-2	0.00298	ND
AROCLOR 1221	11104-28-2	0.00298	ND
AROCLOR 1232	11141-16-5	0.00298	ND
AROCLOR 1242	53469-21-9	0.00298	ND
AROCLOR 1248	12672-29-6	0.00298	ND
AROCLOR 1254	11097-69-1	0.00298	ND
AROCLOR 1260	11096-82-5	0.00298	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	109

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAR
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFEE-2460
LAB NO: 27517
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 333.21

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 9/20/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00060	ND
B-BHC	319-85-7	0.00060	ND
LINDANE	58-89-9	0.00060	ND
HEPTACHLOR	76-44-8	0.00060	ND
D-BHC	319-86-8	0.00060	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00060	ND
ENDOSULFAN I	959-98-8	0.00060	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00120	ND
ENDRIN	72-20-8	0.00120	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00120	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00120	ND
ENDOSULFAN SULFATE	1031-07-8	0.00120	ND
METHOXYCHLOR	72-43-5	0.00600	ND
CHLORDANE	57-74-9	0.00600	ND
TOXPHENE	8001-35-2	0.01200	ND
AROCLOR 1016	12674-11-2	0.00300	ND
AROCLOR 1221	11104-28-2	0.00300	ND
AROCLOR 1232	11141-16-5	0.00300	ND
AROCLOR 1242	53469-21-9	0.00300	ND
AROCLOR 1248	12672-29-6	0.00300	ND
AROCLOR 1254	11097-69-1	0.00300	ND
AROCLOR 1260	11096-82-5	0.00300	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	111

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: PMK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFFE-2461
LAB NO: 27518
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 320.58

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 9/20/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00062	ND
B-BHC	319-85-7	0.00062	ND
LINDANE	58-89-9	0.00062	ND
HEPTACHLOR	76-44-8	0.00062	ND
D-BHC	319-86-8	0.00062	ND
ALDRIN	309-00-2	0.00031	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00062	ND
ENDOSULFAN I	959-98-8	0.00062	ND
4,4'-DDE	72-55-9	0.00031	ND
DIELDRIN	60-57-1	0.00125	ND
ENDRIN	72-20-8	0.00125	ND
4,4'-DDD	72-54-8	0.00031	ND
ENDOSULFAN II	33212-65-9	0.00125	ND
4,4'-DDT	50-29-3	0.00031	ND
ENDRIN ALDEHYDE	7421-93-4	0.00125	ND
ENDOSULFAN SULFATE	1031-07-8	0.00125	ND
METHOXYCHLOR	72-43-5	0.00624	ND
CHLORDANE	57-74-9	0.00624	ND
TOXPHENE	8001-35-2	0.01248	ND
AROCLOR 1016	12674-11-2	0.00312	ND
AROCLOR 1221	11104-28-2	0.00312	ND
AROCLOR 1232	11141-16-5	0.00312	ND
AROCLOR 1242	53469-21-9	0.00312	ND
AROCLOR 1248	12672-29-6	0.00312	ND
AROCLOR 1254	11097-69-1	0.00312	ND
AROCLOR 1260	11096-82-5	0.00312	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	112

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MMC
DATE: 9/22/00

K PRIME, INC.

LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-FBEPUF-2455
LAB NO: 27519
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 329.76

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 9/20/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00061	ND
B-BHC	319-85-7	0.00061	ND
LINDANE	58-89-9	0.00061	ND
HEPTACHLOR	76-44-8	0.00061	ND
D-BHC	319-86-8	0.00061	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00061	ND
ENDOSULFAN I	959-98-8	0.00061	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00121	ND
ENDRIN	72-20-8	0.00121	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00121	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00121	ND
ENDOSULFAN SULFATE	1031-07-8	0.00121	ND
METHOXYCHLOR	72-43-5	0.00607	ND
CHLORDANE	57-74-9	0.00607	ND
TOXPHENE	8001-35-2	0.01213	ND
AROCLOR 1016	12674-11-2	0.00303	ND
AROCLOR 1221	11104-28-2	0.00303	ND
AROCLOR 1232	11141-16-5	0.00303	ND
AROCLOR 1242	53469-21-9	0.00303	ND
AROCLOR 1248	12672-29-6	0.00303	ND
AROCLOR 1254	11097-69-1	0.00303	ND
AROCLOR 1260	11096-82-5	0.00303	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	116

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFAE-2456
LAB NO: 27514
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 330.99

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.015	ND
BIS (2-CHLOROETHYL) ETHER	0.015	ND
2-CHLOROPHENOL	0.030	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.030	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.015	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.015	ND
4-METHYLPHENOL	0.015	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.015	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.030	ND
2,4-DIMETHYLPHENOL	0.015	ND
BIS (2-CHLOROETHOXY) METHANE	0.015	ND
2,4-DICHLOROPHENOL	0.015	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.060	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.030	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.030	ND
2,4,5-TRICHLOROPHENOL	0.030	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.060	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
3-NITROANILINE	0.060	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.030	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
4-NITROPHENOL	0.060	ND
DIETHYLPHTHALATE	0.003	0.0495
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.015	ND
4-NITROANILINE	0.060	ND
4,6-DINITRO-2-METHYLPHENOL	0.060	ND
N-NITROSODIPHENYLAMINE	0.015	ND
4-BROMOPHENYL PHENYL ETHER	0.015	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFAE-2456
LAB NO:	27514
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	330.99
DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.030	ND
PHENANTHRENE	0.003	0.0180
ANTHRACENE	0.003	ND
DI-N-BUTYLPHTHALATE	0.003	0.0317
FLUORANTHENE	0.003	0.00390
PYRENE	0.003	0.00432
BUTYL BENZYL PHTHALATE	0.003	0.00810
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.030	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	0.683
DI-N-OCTYL PHTHALATE	0.003	0.0119
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	93

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFBE-2457
LAB NO: 27515
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 328.33

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.015	ND
BIS (2-CHLOROETHYL) ETHER	0.015	ND
2-CHLOROPHENOL	0.030	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.030	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.015	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.015	ND
4-METHYLPHENOL	0.015	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.015	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.030	ND
2,4-DIMETHYLPHENOL	0.015	ND
BIS (2-CHLOROETHOXY) METHANE	0.015	ND
2,4-DICHLOROPHENOL	0.015	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.061	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.030	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.030	ND
2,4,5-TRICHLOROPHENOL	0.030	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.061	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
3-NITROANILINE	0.061	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.030	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
4-NITROPHENOL	0.061	ND
DIETHYLPHTHALATE	0.003	0.0116
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.015	ND
4-NITROANILINE	0.061	ND
4,6-DINITRO-2-METHYLPHENOL	0.061	ND
N-NITROSODIPHENYLAMINE	0.015	ND
4-BROMOPHENYL PHENYL ETHER	0.015	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFBE-2457
LAB NO:	27515
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	328.33

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.030	ND
PHENANTHRENE	0.003	0.0191
ANTHRACENE	0.003	ND
DI-N-BUTYLPHTHALATE	0.003	0.0114
FLUORANTHENE	0.003	0.00308
PYRENE	0.003	ND
BUTYL BENZYL PHTHALATE	0.003	0.00408
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.030	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	0.0103
DI-N-OCTYL PHTHALATE	0.003	ND
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	90

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFCE-2458
LAB NO: 27516
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 335.67

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.015	ND
BIS (2-CHLOROETHYL) ETHER	0.015	ND
2-CHLOROPHENOL	0.030	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.030	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.015	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.015	ND
4-METHYLPHENOL	0.015	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.015	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.030	ND
2,4-DIMETHYLPHENOL	0.015	ND
BIS (2-CHLOROETHOXY) METHANE	0.015	ND
2,4-DICHLOROPHENOL	0.015	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.060	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.030	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.030	ND
2,4,5-TRICHLOROPHENOL	0.030	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.060	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
3-NITROANILINE	0.060	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.030	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
4-NITROPHENOL	0.060	ND
DIETHYLPHTHALATE	0.003	0.00754
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.015	ND
4-NITROANILINE	0.060	ND
4,6-DINITRO-2-METHYLPHENOL	0.060	ND
N-NITROSODIPHENYLAMINE	0.015	ND
4-BROMOPHENYL PHENYL ETHER	0.015	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFCE-2458
LAB NO: 27516
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 335.67

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.030	ND
PHENANTHRENE	0.003	0.0195
ANTHRACENE	0.003	ND
DI-N-BUTYL PHTHALATE	0.003	0.0736
FLUORANTHENE	0.003	0.00393
PYRENE	0.003	0.00402
BUTYL BENZYL PHTHALATE	0.003	0.00375
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.030	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	0.00927
DI-N-OCTYL PHTHALATE	0.003	ND
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	85

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: [signature]
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFEE-2460
LAB NO: 27517
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 333.21

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.015	ND
BIS (2-CHLOROETHYL) ETHER	0.015	ND
2-CHLOROPHENOL	0.030	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.030	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.015	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.015	ND
4-METHYLPHENOL	0.015	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.015	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.030	ND
2,4-DIMETHYLPHENOL	0.015	ND
BIS (2-CHLOROETHOXY) METHANE	0.015	ND
2,4-DICHLOROPHENOL	0.015	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.060	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.030	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.030	ND
2,4,5-TRICHLOROPHENOL	0.030	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.060	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
3-NITROANILINE	0.060	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.030	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
4-NITROPHENOL	0.060	ND
DIETHYLPHTHALATE	0.003	0.0233
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.015	ND
4-NITROANILINE	0.060	ND
4,6-DINITRO-2-METHYLPHENOL	0.060	ND
N-NITROSODIPHENYLAMINE	0.015	ND
4-BROMOPHENYL PHENYL ETHER	0.015	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFEE-2460
LAB NO:	27517
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	333.21

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.030	ND
PHENANTHRENE	0.003	0.0363
ANTHRACENE	0.003	ND
DI-N-BUTYLPHTHALATE	0.003	0.0504
FLUORANTHENE	0.003	0.00573
PYRENE	0.003	0.00399
BUTYL BENZYL PHTHALATE	0.003	0.00477
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.030	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	0.0117
DI-N-OCTYL PHTHALATE	0.003	ND
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	85

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFFE-2461
LAB NO: 27518
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 320.58

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.016	ND
BIS (2-CHLOROETHYL) ETHER	0.016	ND
2-CHLOROPHENOL	0.031	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.031	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.016	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.016	ND
4-METHYLPHENOL	0.016	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.016	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.031	ND
2,4-DIMETHYLPHENOL	0.016	ND
BIS (2-CHLOROETHOXY) METHANE	0.016	ND
2,4-DICHLOROPHENOL	0.016	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.062	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.031	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.031	ND
2,4,5-TRICHLOROPHENOL	0.031	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.062	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.031	ND
3-NITROANILINE	0.062	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.031	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.031	ND
4-NITROPHENOL	0.062	ND
DIETHYLPHTHALATE	0.003	0.0324
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.016	ND
4-NITROANILINE	0.062	ND
4,6-DINITRO-2-METHYLPHENOL	0.062	ND
N-NITROSODIPHENYLAMINE	0.016	ND
4-BROMOPHENYL PHENYL ETHER	0.016	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFFE-2461
LAB NO:	27518
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	320.58
DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.031	ND
PHENANTHRENE	0.003	0.0233
ANTHRACENE	0.003	ND
DI-N-BUTYLPHTHALATE	0.003	0.0440
FLUORANTHENE	0.003	0.00446
PYRENE	0.003	0.00365
BUTYL BENZYL PHTHALATE	0.003	ND
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.031	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	0.328
DI-N-OCTYL PHTHALATE	0.003	ND
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	87

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MM
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-FBEPUF-2455
LAB NO: 27519
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 329.76

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.015	ND
BIS (2-CHLOROETHYL) ETHER	0.015	ND
2-CHLOROPHENOL	0.030	ND
1,3-DICHLOROBENZENE	0.003	ND
1,4-DICHLOROBENZENE	0.003	ND
BENZYL ALCOHOL	0.030	ND
1,2-DICHLOROBENZENE	0.003	ND
2-METHYLPHENOL	0.015	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.015	ND
4-METHYLPHENOL	0.015	ND
HEXACHLOROETHANE	0.003	ND
N-NITROSO-DI-N-PROPYLAMINE	0.015	ND
NITROBENZENE	0.003	ND
ISOPHORONE	0.003	ND
2-NITROPHENOL	0.030	ND
2,4-DIMETHYLPHENOL	0.015	ND
BIS (2-CHLOROETHOXY) METHANE	0.015	ND
2,4-DICHLOROPHENOL	0.015	ND
1,2,4-TRICHLOROBENZENE	0.003	ND
NAPHTHALENE	0.003	ND
4-CHLOROANILINE	0.061	ND
HEXACHLOROBUTADIENE	0.003	ND
4-CHLORO-3-METHYLPHENOL	0.030	ND
2-METHYLNAPHTHALENE	0.003	ND
HEXACHLOROCYCLOPENTADIENE	0.003	ND
2,4,6-TRICHLOROPHENOL	0.030	ND
2,4,5-TRICHLOROPHENOL	0.030	ND
2-CHLORONAPHTHALENE	0.003	ND
2-NITROANILINE	0.061	ND
DIMETHYL PHTHALATE	0.003	ND
ACENAPHTHYLENE	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
3-NITROANILINE	0.061	ND
ACENAPHTHENE	0.003	ND
2,4-DINITROPHENOL	0.030	ND
DIBENZOFURAN	0.003	ND
2,4-DINITROTOLUENE	0.030	ND
4-NITROPHENOL	0.061	ND
DIETHYLPHTHALATE	0.003	0.00382
FLUORENE	0.003	ND
4-CHLOROPHENYL PHENYL ETHER	0.015	ND
4-NITROANILINE	0.061	ND
4,6-DINITRO-2-METHYLPHENOL	0.061	ND
N-NITROSODIPHENYLAMINE	0.015	ND
4-BROMOPHENYL PHENYL ETHER	0.015	ND
HEXACHLOROBENZENE	0.003	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-FBEPUF-2455
LAB NO:	27519
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	329.76
DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.030	ND
PHENANTHRENE	0.003	ND
ANTHRACENE	0.003	ND
DI-N-BUTYLPHTHALATE	0.003	0.0117
FLUORANTHENE	0.003	ND
PYRENE	0.003	ND
BUTYL BENZYL PHTHALATE	0.003	ND
BENZO (A) ANTHRACENE	0.003	ND
3,3'-DICHLOROBENZIDINE	0.030	ND
CHRYSENE	0.003	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.003	ND
DI-N-OCTYL PHTHALATE	0.003	ND
BENZO (B) FLUORANTHENE	0.003	ND
BENZO (K) FLUORANTHENE	0.003	ND
BENZO (A) PYRENE	0.003	ND
INDENO (1,2,3-CD) PYRENE	0.003	ND
DIBENZO (A,H) ANTHRACENE	0.003	ND
BENZO (G,H,I) PERYLENE	0.003	ND

SURROGATE % RECOVERY

TERPHENYL-D14	82

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00091617-PUFAE-2456
LAB NO:	27514
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/16/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	330.99

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED:	9/21/00
UNITS:	µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.04E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.51E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.06E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.02E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.02E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.04E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.06E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.04E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.02E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.02E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: BMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFBE-2457
LAB NO: 27515
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 328.33

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.09E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.52E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.14E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.05E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.05E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.09E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.14E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.09E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.05E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.05E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAL
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFCE-2458
LAB NO: 27516
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 335.67

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	5.96E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.49E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	8.94E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	2.98E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	2.98E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	5.96E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	8.94E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	5.96E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	2.98E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	2.98E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RJML
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFEE-2460
LAB NO: 27517
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 333.21

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.00E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.50E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.00E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.00E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.00E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.00E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.00E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.00E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.00E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.00E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: AMK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-PUFFE-2461
LAB NO: 27518
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 320.58

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.24E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.56E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.36E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.12E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.12E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.24E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.36E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.24E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.12E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.12E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00091617-FBEPUF-2455
LAB NO: 27519
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 329.76

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 9/21/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.07E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.52E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.10E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.03E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.03E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.07E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.10E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.07E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.03E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.03E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: PMK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCAE-A801
LAB NO: 27520
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): 1.8

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.580	0.989	2.87
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.320	1.12	1.80
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	ND	0.629	ND
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.850	0.319	2.72
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	2.64	0.754	9.95
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.420	0.434	1.82
XYLENE (M+P)	1330-20-7	0.200	1.74	0.868	7.55
XYLENE (O)	95-47-6	0.100	0.570	0.434	2.47
STYRENE	100-42-5	0.100	0.130	0.426	0.554
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	0.630	2.46	3.10
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCAE-A801
LAB NO: 27520
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: RMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCBE-A613
LAB NO: 27521
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): 0.6

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.590	0.989	2.92
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.330	1.12	1.85
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	0.100	0.629	0.629
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.690	0.319	2.20
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	2.54	0.754	9.57
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.390	0.434	1.69
XYLENE (M+P)	1330-20-7	0.200	1.41	0.868	6.12
XYLENE (O)	95-47-6	0.100	0.530	0.434	2.30
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	0.520	2.46	2.56
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCBE-A513
LAB NO: 27521
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PMC
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCCE-A506
LAB NO: 27522
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): 0.2

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.560	0.989	2.77
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.290	1.12	1.63
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	ND	0.629	ND
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.470	0.319	1.50
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	1.39	0.754	5.24
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.220	0.434	0.955
XYLENE (M+P)	1330-20-7	0.200	0.920	0.868	3.99
XYLENE (O)	95-47-6	0.100	0.340	0.434	1.48
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCCE-A506
LAB NO: 27522
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCDE-A606
LAB NO: 27523
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): -0.6

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.590	0.989	2.92
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.310	1.12	1.74
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	ND	0.629	ND
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.650	0.319	2.08
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	1.95	0.754	7.35
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.260	0.434	1.13
XYLENE (M+P)	1330-20-7	0.200	1.17	0.868	5.08
XYLENE (O)	95-47-6	0.100	0.330	0.434	1.43
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCDE-A606
LAB NO: 27523
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MAK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCEE-A810
LAB NO: 27524
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): 0.0

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.560	0.989	2.77
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.310	1.12	1.74
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	ND	0.629	ND
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.730	0.319	2.33
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	2.35	0.754	8.86
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.290	0.434	1.26
XYLENE (M+P)	1330-20-7	0.200	1.30	0.868	5.64
XYLENE (O)	95-47-6	0.100	0.490	0.434	2.13
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCEE-A810
LAB NO: 27524
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCFE-A508
LAB NO: 27525
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): -0.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	0.570	0.989	2.82
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	0.270	1.12	1.52
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	0.110	0.629	0.692
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	0.590	0.319	1.88
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	1.93	0.754	7.27
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	0.270	0.434	1.17
XYLENE (M+P)	1330-20-7	0.200	1.17	0.868	5.08
XYLENE (O)	95-47-6	0.100	0.410	0.434	1.78
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-VOCFE-A508
LAB NO: 27525
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: CM
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00091617-FBEVOC-A429
LAB NO: 27526
SAMPLE TYPE: AIR
DATE SAMPLED: 09/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00
PRESSURE (PSIG): NA

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.200	ND	0.989	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.200	ND	1.40	ND
CHLOROMETHANE	74-87-3	0.200	ND	0.413	ND
VINYL CHLORIDE	75-01-4	0.100	ND	0.256	ND
BROMOMETHANE	74-83-9	0.200	ND	0.777	ND
CHLOROETHANE	75-00-3	0.200	ND	0.528	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.200	ND	1.12	ND
1,1-DICHLOROETHENE	75-35-4	0.100	ND	0.397	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.100	ND	0.405	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.100	ND	0.397	ND
CHLOROFORM	67-66-3	0.200	ND	0.977	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.200	ND	1.09	ND
CARBON TETRACHLORIDE	56-23-5	0.100	ND	0.629	ND
1,2-DICHLOROETHANE	107-06-2	0.100	ND	0.405	ND
BENZENE	71-43-2	0.100	ND	0.319	ND
TRICHLOROETHENE	79-01-6	0.100	ND	0.537	ND
1,2-DICHLOROPROPANE	78-87-5	0.200	ND	0.924	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.200	ND	0.908	ND
TOLUENE	108-88-3	0.200	ND	0.754	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.200	ND	0.908	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.100	ND	0.678	ND
1,2-DIBROMOETHANE	106-93-4	0.100	ND	0.768	ND
CHLOROBENZENE	108-90-7	0.100	ND	0.460	ND
ETHYLBENZENE	100-41-4	0.100	ND	0.434	ND
XYLENE (M+P)	1330-20-7	0.200	ND	0.868	ND
XYLENE (O)	95-47-6	0.100	ND	0.434	ND
STYRENE	100-42-5	0.100	ND	0.426	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID:)0091617-FBEVOC-A42S
LAB NO: 27526
SAMPLE TYPE: AIR
DATE SAMPLED: 9/16/00
TIME SAMPLED: NA

DATE ANALYZED: 9/19/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.00	ND	2.37	ND
		1.00	ND	4.91	ND
		1.00	ND	4.91	ND
		1.00	ND	5.48	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND
		1.00	ND	4.09	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: PAK
DATE: 9/22/00

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: ug/m3

SAMPLE ID:	00091617-TSPAE-7224	00091617-TSPBE-7239	00091617-TSPDE-7241	00091617-TSPEE-7242	00091617-TSPFE-7243	00091617-FBETSP-7244
LAB NO:	27527	27528	27529	27530	27531	27532
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	9/16/00	9/16/00	9/16/00	9/16/00	9/16/00	9/16/00
SAMPLE VOLUME (m3):	1861.34	1872.26	1838.33	1842.07	1852.80	1841.35
DATE ANALYZED:	9/19/00	9/19/00	9/19/00	9/19/00	9/19/00	9/19/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	95.10	2.78	145.44	2.67	167.54	2.72	109.33	2.71	79.39	2.70	ND	2.72

DATE ANALYZED:	9/21/00		9/21/00		9/21/00		9/21/00		9/21/00		9/21/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.498	ND	2.404	ND	2.448	ND	2.443	ND	2.429	ND	2.444
ANTIMONY	ND	0.500	ND	0.481	ND	0.490	ND	0.489	ND	0.486	ND	0.489
ARSENIC	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002	ND	0.002
BARIUM	ND	0.125	ND	0.120	ND	0.122	ND	0.122	ND	0.121	ND	0.122
BERYLLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CADMIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
CHROMIUM	ND	0.050	ND	0.048	ND	0.049	ND	0.049	ND	0.049	ND	0.049
COBALT	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
COPPER	0.0809	0.012	0.819	0.012	0.157	0.012	0.116	0.012	0.105	0.012	ND	0.012
LEAD	ND	0.025	0.0583	0.024	0.160	0.024	0.105	0.024	0.0417	0.024	ND	0.024
MANGANESE	0.0606	0.012	0.117	0.012	0.122	0.012	0.107	0.012	0.0589	0.012	ND	0.012
MERCURY	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001	ND	0.001
MOLYBDENUM	ND	0.025	ND	0.024	ND	0.024	ND	0.024	ND	0.024	ND	0.024
NICKEL	ND	0.130	ND	0.125	ND	0.127	ND	0.127	ND	0.126	ND	0.127
SELENIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
SILVER	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
THALLIUM	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012	ND	0.012
VANADIUM	ND	0.250	ND	0.240	ND	0.245	ND	0.244	ND	0.243	ND	0.244
ZINC	ND	0.250	ND	0.240	ND	0.245	ND	0.244	ND	0.243	ND	0.244

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: ck

DATE: 9-22-00

K PRIME, INC.
QUALITY CONTROL REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

QC SAMPLE ID:	FILTER DUP 27527	MBLK0920F2	LCS0920F2	LCSD0920F2
SAMPLE TYPE:	AIR	AIR	AIR	AIR
DATE SAMPLED:	9/16/00	9/20/00	9/20/00	9/20/00
SAMPLE VOLUME (m3):	1801.34	1841.36	1841.36	1841.36
DATE ANALYZED:	9/19/00	9/21/00	9/21/00	9/21/00

COMPOUND NAME	RPD	SAMPLE CONC	RL	% RECOVERY	RL	% RECOVERY	RL	RPD
PARTICULATE MATTER	0.016%							
ALUMINUM		ND	2.383	95	2.383	107	2.383	11.21
ANTIMONY		ND	0.477	96	0.477	88	0.477	8.28
ARSENIC		ND	0.002	82	0.002	86	0.002	4.51
BARIUM		ND	0.119	NA	0.119	NA	0.119	NA
BERYLLIUM		ND	0.012	103	0.012	108	0.012	4.18
CADMIUM		ND	0.012	NA	0.012	NA	0.012	NA
CHROMIUM		ND	0.119	NA	0.119	NA	0.119	NA
COBALT		ND	0.012	NA	0.012	NA	0.012	NA
COPPER		ND	0.012	99	0.012	103	0.012	3.33
LEAD		ND	0.024	97	0.024	97	0.024	0.63
MANGANESE		ND	0.012	104	0.012	102	0.012	1.55
MERCURY		ND	0.001	110	0.001	108	0.001	2.21
MOLYBDENUM		ND	0.024	NA	0.024	NA	0.024	NA
NICKEL		ND	0.124	97	0.124	101	0.124	3.62
SELENIUM		ND	0.012	NA	0.012	NA	0.012	NA
SILVER		ND	0.012	NA	0.012	NA	0.012	NA
THALLIUM		ND	0.012	NA	0.012	NA	0.012	NA
VANADIUM		ND	0.238	93	0.238	100	0.238	3.66
ZINC		ND	0.238	95	0.238	98	0.238	2.81

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: dk

DATE: 9-22-00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-051617

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: C. Foreman, L. Leet, A. Cortez
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 85554
Required Report Date: See PAM

Samples Shipment Date: 9/16/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Cliff Foreman
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Date Collected	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	KPI # Confirmation Receipt	Disposal Record No.
00091617-PUFAE-2456	A-PUF	SAMPLE STATION A	9/16/00	330.99	Jar & Envelope	ICE	TO-4 & TO-13 & TO-9m	27514	
00091617-PUFBE-2457	B-PUF	SAMPLE STATION B	9/16/00	328.33	"	"	TO-4 & TO-13 & TO-9m	27515	
00091617-PUFCE-2458	C-PUF	SAMPLE STATION C	9/16/00	335.67	"	"	TO-4 & TO-13 & TO-9m	27516	
VOID	D-PUF	SAMPLE STATION D	9/16/00	0.00	"	"	TO-4 & TO-13 & TO-9m	—	
00091617-PUFEE-2460	E-PUF	SAMPLE STATION E	9/16/00	333.21	"	"	TO-4 & TO-13 & TO-9m	27517	
00091617-PUFFE-2461	F-PUF	SAMPLE STATION F	9/16/00	320.58	"	"	TO-4 & TO-13 & TO-9m	27518	
NOT COLLECTED	G-PUF	SAMPLE STATION G	9/16/00	0.00	"	"	TO-4 & TO-13 & TO-9m	—	
00091617-FBEPUF-2455	PUF BLANK	PUF-BLANK	9/16/00	NA	"	"	TO-4 & TO-13 & TO-9m	27519	
00091617-VOCAE-A801	A-VOC	SAMPLE STATION A	9/16/00	0.00	SUMMA	None	TO-14a See Note	27520	
00091617-VOCBE-A513	B-VOC	SAMPLE STATION B	9/16/00	0.00	"	"	TO-14a	27521	
00091617-VOCCE-A506	C-VOC	SAMPLE STATION C	9/16/00	0.00	"	"	TO-14a	27522	
00091617-VOCDE-A609	D-VOC	SAMPLE STATION D	9/16/00	1.00	"	"	TO-14a	27523	
00091617-VOCEE-A810	E-VOC	SAMPLE STATION E	9/16/00	0.00	"	"	TO-14a	27524	
00091617-VOCFE-A508	F-VOC	SAMPLE STATION F	9/16/00	0.00	"	"	TO-14a	27525	
NOT COLLECTED	G-VOC	SAMPLE STATION G	9/16/00	0.00	"	"	TO-14a	—	
00091617-FBEVOC-A429	VOC-BLANK	VOC-BLANK	9/16/00	NA	"	"	TO-14a	27526	
00091617-TSPAE-7224	A-TSP	SAMPLE STATION A	9/16/00	1801.34	Envelope	"	Full Suite Metals	27527	
00091617-TSPBE-7239	B-TSP	SAMPLE STATION B	9/16/00	1872.26	"	"	Full Suite Metals	27528	
NOT COLLECTED	C-TSP	SAMPLE STATION C	9/16/00	0.00	"	"	Full Suite Metals	—	
00091617-TSPDE-7241	D-TSP	SAMPLE STATION D	9/16/00	1838.33	"	"	Full Suite Metals	27529	
00091617-TSPEE-7242	E-TSP	SAMPLE STATION E	9/16/00	1842.07	"	"	Full Suite Metals	27530	
00091617-TSPFE-7243	F-TSP	SAMPLE STATION F	9/16/00	1852.80	"	"	Full Suite Metals	27531	
NOT COLLECTED	G-TSP	SAMPLE STATION G	9/16/00	0.00			Full Suite Metals	—	
00091617-FBETSP-7244	TSP-BLANK	TSP-BLANK	9/16/00	NA	"	"	Full Suite Metals	27532	

Special Instructions: Analyze for full suite in reference methods. Additionally, include analyses per conversations with IT for low res. dioxins and furans. Returning VOID PUF sample and SUMMA canister.

Possible Hazard ID: none
Sample Disposal: By Lab
Turnaround Time Required: 3-day turnarour
QC Level: See PAM

1. Relinquished by (Signature/Affiliation)	Date: 9/18/00 Time: 1222	1. Received by (Signature/Affiliation)	Date: 9 15 00 Time: 1222
2. Relinquished by (Signature/Affiliation)	Date: 09/18/00 Time: 2245	2. Received by (Signature/Affiliation) Charlotte Wilson	Date: 09/18/00 Time: 2245
3. Relinquished by (Signature/Affiliation)	Date: Time:	3. Received by (Signature/Affiliation)	Date: Time:

Comments: Fax Preliminary results to Cliff Foreman (1-415-671-2809)

P.01

TRANSACTION REPORT

SEP-22-2000 FRI 03:49 PM

BROADCAST

DATE	START	RECEIVER	TX TIME	PAGES	TYPE	NOTE	M#	DP
SEP-22	03:16 PM	PAM BAUER IT CONCORD	6'31"	42	SEND	OK	475	
	03:23 PM	BRIAN LUSCHER IT HP	11'14"	42	SEND	OK	475	
	03:49 PM	CLIFF FOREMAN IT HP	6'41"	12	SEND	BUSY	(01) 475	
			TOTAL :	24M 26S	PAGES:	96		

K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 09/22/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9890
Fax: (925) 288-0888

ACCT: 9817
PROJ: 7773247

FROM: Richard A. Kagel, Ph.D.
Laboratory Director

RAK KMCK 9/22/00

SUBJECT: YOUR PROJECT 7773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00091617-PUFAE-2456	AIR	09/16/00	27514
00091617-PUFBE-2457	AIR	09/16/00	27515
00091617-PUFCE-2458	AIR	09/16/00	27516
[illegible]	[illegible]	[illegible]	