K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 10/04/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAK by ck 10/4/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
00092829-PUFAE-2532	AIR	09/28/00	27965
00092829-PUFBE-2533	AIR	09/28/00	27966
00092829-PUFDE-2535	AIR	09/28/00	27967
00092829-PUFEE-2536	AIR	09/28/00	27968
00092829-PUFFE-2537	AIR	09/28/00	27969
00092829-PUFGE-2538	AIR	09/28/00	27970
00092829-VOCAE-A502	AIR	09/28/00	27971
00092829-VOCBE-A811	AIR	09/28/00	27972
00092829-VOCCE-A606	AIR	09/28/00	27973
00092829-VOCDE-A420	AIR	09/28/00	27974
00092829-VOCFE-A425	AIR	09/28/00	27975
00092829-VOCFE-A809	AIR	09/28/00	27976
00092829-VOCGE-A803	AIR	09/28/00	27977
00092829-TSPAE-7298	AIR	09/28/00	27978
00092829-TSPBE-7299	AIR	09/28/00	27979
00092829-TSPDE-7301	AIR	09/28/00	27980
00092829-TSPEE-7302	AIR	09/28/00	27981
00092829-TSPFE-7303	AIR	09/28/00	27982
00092829-TSPGE-7203	AIR	09/28/00	27983

The above listed sample group was received on 09/30/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

CC: Mr. Cliff Foreman, JADA/IT Hunters Point FAX: 415-671-2809
Mr. Brian Luscher, IT San Jose FAX: 408-437-9526

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFAE-2532
LAB NO: 27965
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 322.49

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00062	ND
B-BHC	319-85-7	0.00062	ND
LINDANE	58-89-9	0.00062	ND
HEPTACHLOR	76-44-8	0.00062	ND
D-BHC	319-86-8	0.00062	ND
ALDRIN	309-00-2	0.00031	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00062	ND
ENDOSULFAN I	959-98-8	0.00062	ND
4,4'-DDE	72-55-9	0.00031	ND
DIELDRIN	60-57-1	0.00124	ND
ENDRIN	72-20-8	0.00124	ND
4,4'-DDD	72-54-8	0.00031	ND
ENDOSULFAN II	33212-65-9	0.00124	ND
4,4'-DDT	50-29-3	0.00031	ND
ENDRIN ALDEHYDE	7421-93-4	0.00124	ND
ENDOSULFAN SULFATE	1031-07-8	0.00124	ND
METHOXYCHLOR	72-43-5	0.00620	ND
CHLORDANE	57-74-9	0.00620	ND
TOXPHENE	8001-35-2	0.01240	ND
AROCLOR 1016	12674-11-2	0.00310	ND
AROCLOR 1221	11104-28-2	0.00310	ND
AROCLOR 1232	11141-16-5	0.00310	ND
AROCLOR 1242	53469-21-9	0.00310	ND
AROCLOR 1248	12672-29-6	0.00310	ND
AROCLOR 1254	11097-69-1	0.00310	ND
AROCLOR 1260	11096-82-5	0.00310	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	106

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MMC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFBE-2533
LAB NO: 27966
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 330.46

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00061	ND
B-BHC	319-85-7	0.00061	ND
LINDANE	58-89-9	0.00061	ND
HEPTACHLOR	76-44-8	0.00061	ND
D-BHC	319-86-8	0.00061	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00061	ND
ENDOSULFAN I	959-98-8	0.00061	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00121	ND
ENDRIN	72-20-8	0.00121	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00121	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00121	ND
ENDOSULFAN SULFATE	1031-07-8	0.00121	ND
METHOXYCHLOR	72-43-5	0.00605	ND
CHLORDANE	57-74-9	0.00605	ND
TOXPHENE	8001-35-2	0.01210	ND
AROCLOR 1016	12674-11-2	0.00303	ND
AROCLOR 1221	11104-28-2	0.00303	ND
AROCLOR 1232	11141-16-5	0.00303	ND
AROCLOR 1242	53469-21-9	0.00303	ND
AROCLOR 1248	12672-29-6	0.00303	ND
AROCLOR 1254	11097-69-1	0.00303	ND
AROCLOR 1260	11096-82-5	0.00303	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	102

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFDE-2535
LAB NO: 27967
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 325.94

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00061	ND
B-BHC	319-85-7	0.00061	ND
LINDANE	58-89-9	0.00061	ND
HEPTACHLOR	76-44-8	0.00061	ND
D-BHC	319-86-8	0.00061	ND
ALDRIN	309-00-2	0.00031	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00061	ND
ENDOSULFAN I	959-98-8	0.00061	ND
4,4'-DDE	72-55-9	0.00031	ND
DIELDRIN	60-57-1	0.00123	ND
ENDRIN	72-20-8	0.00123	ND
4,4'-DDD	72-54-8	0.00031	ND
ENDOSULFAN II	33212-65-9	0.00123	ND
4,4'-DDT	50-29-3	0.00031	ND
ENDRIN ALDEHYDE	7421-93-4	0.00123	ND
ENDOSULFAN SULFATE	1031-07-8	0.00123	ND
METHOXYCHLOR	72-43-5	0.00614	ND
CHLORDANE	57-74-9	0.00614	ND
TOXPHENE	8001-35-2	0.01227	ND
AROCLOR 1016	12674-11-2	0.00307	ND
AROCLOR 1221	11104-28-2	0.00307	ND
AROCLOR 1232	11141-16-5	0.00307	ND
AROCLOR 1242	53469-21-9	0.00307	ND
AROCLOR 1248	12672-29-6	0.00307	ND
AROCLOR 1254	11097-69-1	0.00307	ND
AROCLOR 1260	11096-82-5	0.00307	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	102

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFEE-2536
LAB NO: 27968
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 310.74

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00064	ND
B-BHC	319-85-7	0.00064	ND
LINDANE	58-89-9	0.00064	ND
HEPTACHLOR	76-44-8	0.00064	ND
D-BHC	319-86-8	0.00064	ND
ALDRIN	309-00-2	0.00032	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00064	ND
ENDOSULFAN I	959-98-8	0.00064	ND
4,4'-DDE	72-55-9	0.00032	ND
DIELDRIN	60-57-1	0.00129	ND
ENDRIN	72-20-8	0.00129	ND
4,4'-DDD	72-54-8	0.00032	ND
ENDOSULFAN II	33212-65-9	0.00129	ND
4,4'-DDT	50-29-3	0.00032	ND
ENDRIN ALDEHYDE	7421-93-4	0.00129	ND
ENDOSULFAN SULFATE	1031-07-8	0.00129	ND
METHOXYCHLOR	72-43-5	0.00644	ND
CHLORDANE	57-74-9	0.00644	ND
TOXPHENE	8001-35-2	0.01287	ND
AROCLOR 1016	12674-11-2	0.00322	ND
AROCLOR 1221	11104-28-2	0.00322	ND
AROCLOR 1232	11141-16-5	0.00322	ND
AROCLOR 1242	53469-21-9	0.00322	ND
AROCLOR 1248	12672-29-6	0.00322	ND
AROCLOR 1254	11097-69-1	0.00322	ND
AROCLOR 1260	11096-82-5	0.00322	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	98

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RMC
DATE: 10/5/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFFE-2537
LAB NO: 27969
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 319.08

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00063	ND
B-BHC	319-85-7	0.00063	ND
LINDANE	58-89-9	0.00063	ND
HEPTACHLOR	76-44-8	0.00063	ND
D-BHC	319-86-8	0.00063	ND
ALDRIN	309-00-2	0.00031	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00063	ND
ENDOSULFAN I	959-98-8	0.00063	ND
4,4'-DDE	72-55-9	0.00031	ND
DIELDRIN	60-57-1	0.00125	ND
ENDRIN	72-20-8	0.00125	ND
4,4'-DDD	72-54-8	0.00031	ND
ENDOSULFAN II	33212-65-9	0.00125	ND
4,4'-DDT	50-29-3	0.00031	ND
ENDRIN ALDEHYDE	7421-93-4	0.00125	ND
ENDOSULFAN SULFATE	1031-07-8	0.00125	ND
METHOXYCHLOR	72-43-5	0.00627	ND
CHLORDANE	57-74-9	0.00627	ND
TOXPHENE	8001-35-2	0.01254	ND
AROCLOR 1016	12674-11-2	0.00313	ND
AROCLOR 1221	11104-28-2	0.00313	ND
AROCLOR 1232	11141-16-5	0.00313	ND
AROCLOR 1242	53469-21-9	0.00313	ND
AROCLOR 1248	12672-29-6	0.00313	ND
AROCLOR 1254	11097-69-1	0.00313	ND
AROCLOR 1260	11096-82-5	0.00313	0.0338

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	101

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: PESTICIDES/PCBS
REFERENCE: EPA TO 4

SAMPLE ID: 00092829-PUFGE-2538
LAB NO: 27970
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 330.64

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
A-BHC	319-84-6	0.00060	ND
B-BHC	319-85-7	0.00060	ND
LINDANE	58-89-9	0.00060	ND
HEPTACHLOR	76-44-8	0.00060	ND
D-BHC	319-86-8	0.00060	ND
ALDRIN	309-00-2	0.00030	ND
HEPTACHLOR EPOXIDE	1024-57-3	0.00060	ND
ENDOSULFAN I	959-98-8	0.00060	ND
4,4'-DDE	72-55-9	0.00030	ND
DIELDRIN	60-57-1	0.00121	ND
ENDRIN	72-20-8	0.00121	ND
4,4'-DDD	72-54-8	0.00030	ND
ENDOSULFAN II	33212-65-9	0.00121	ND
4,4'-DDT	50-29-3	0.00030	ND
ENDRIN ALDEHYDE	7421-93-4	0.00121	ND
ENDOSULFAN SULFATE	1031-07-8	0.00121	ND
METHOXYCHLOR	72-43-5	0.00605	ND
CHLORDANE	57-74-9	0.00605	ND
TOXPHENE	8001-35-2	0.01210	ND
AROCLOR 1016	12674-11-2	0.00302	ND
AROCLOR 1221	11104-28-2	0.00302	ND
AROCLOR 1232	11141-16-5	0.00302	ND
AROCLOR 1242	53469-21-9	0.00302	ND
AROCLOR 1248	12672-29-6	0.00302	ND
AROCLOR 1254	11097-69-1	0.00302	ND
AROCLOR 1260	11096-82-5	0.00302	ND

SURROGATE % RECOVERY

DECACHLOROBIPHENYL	98

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAK
DATE: 10/5/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFAE-2532
LAB NO: 27965
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m); 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	ND
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.000760
FLUORENE	0.001	ND
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFAE-2532
LAB NO:	27965
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95
DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.000944
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.000545
FLUORANTHENE	0.001	ND
PYRENE	0.001	ND
BUTYL BENZYL PHTHALATE	0.001	ND
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	0.00232
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	81

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: PMK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFBE-2533
LAB NO:	27966
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	ND
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.00496
FLUORENE	0.001	ND
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFBE-2533
LAB NO:	27966
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.00105
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.00278
FLUORANTHENE	0.001	ND
PYRENE	0.001	ND
BUTYL BENZYL PHTHALATE	0.001	ND
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	0.000619
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	105

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: VAC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFDE-2535
LAB NO: 27967
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	0.000687
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	0.000855
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.000645
FLUORENE	0.001	0.00127
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFDE-2535
LAB NO: 27967
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.00380
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.00276
FLUORANTHENE	0.001	0.000645
PYRENE	0.001	ND
BUTYL BENZYL PHTHALATE	0.001	ND
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	0.000645
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	97

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MM
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFEE-2536
LAB NO: 27968
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	ND
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.00605
FLUORENE	0.001	ND
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFEE-2536
LAB NO: 27968
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.00190
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.00164
FLUORANTHENE	0.001	ND
PYRENE	0.001	ND
BUTYL BENZYL PHTHALATE	0.001	0.000981
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	0.00715
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	100

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RMC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

SAMPLE ID:	00092829-PUFFE-2537
LAB NO:	27969
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95
DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	ND
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.000766
FLUORENE	0.001	ND
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFFE-2537
LAB NO:	27969
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.00142
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.00337
FLUORANTHENE	0.001	ND
PYRENE	0.001	ND
BUTYL BENZYL PHTHALATE	0.001	ND
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	ND
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	100

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFGE-2538
LAB NO: 27970
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 1906.95

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

DATE ANALYZED: 10/4/00
UNITS: µg/Cu. m

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PHENOL	0.003	ND
BIS (2-CHLOROETHYL) ETHER	0.003	ND
2-CHLOROPHENOL	0.005	ND
1,3-DICHLOROBENZENE	0.001	ND
1,4-DICHLOROBENZENE	0.001	ND
BENZYL ALCOHOL	0.005	ND
1,2-DICHLOROBENZENE	0.001	ND
2-METHYLPHENOL	0.003	ND
BIS (2-CHLOROISOPROPYL) ETHER	0.003	ND
4-METHYLPHENOL	0.003	ND
HEXACHLOROETHANE	0.001	ND
N-NITROSO-DI-N-PROPYLAMINE	0.003	ND
NITROBENZENE	0.001	ND
ISOPHORONE	0.001	ND
2-NITROPHENOL	0.005	ND
2,4-DIMETHYLPHENOL	0.003	ND
BIS (2-CHLOROETHOXY) METHANE	0.003	ND
2,4-DICHLOROPHENOL	0.003	ND
1,2,4-TRICHLOROBENZENE	0.001	ND
NAPHTHALENE	0.001	ND
4-CHLOROANILINE	0.010	ND
HEXACHLOROBUTADIENE	0.001	ND
4-CHLORO-3-METHYLPHENOL	0.005	ND
2-METHYLNAPHTHALENE	0.001	ND
HEXACHLOROCYCLOPENTADIENE	0.001	ND
2,4,6-TRICHLOROPHENOL	0.005	ND
2,4,5-TRICHLOROPHENOL	0.005	ND
2-CHLORONAPHTHALENE	0.001	ND
2-NITROANILINE	0.010	ND
DIMETHYL PHTHALATE	0.001	ND
ACENAPHTHYLENE	0.001	ND
2,4-DINITROTOLUENE	0.005	ND
3-NITROANILINE	0.010	ND
ACENAPHTHENE	0.001	0.000724
2,4-DINITROPHENOL	0.005	ND
DIBENZOFURAN	0.001	0.000960
2,4-DINITROTOLUENE	0.005	ND
4-NITROPHENOL	0.010	ND
DIETHYLPHTHALATE	0.001	0.00808
FLUORENE	0.001	0.00168
4-CHLOROPHENYL PHENYL ETHER	0.003	ND
4-NITROANILINE	0.010	ND
4,6-DINITRO-2-METHYLPHENOL	0.010	ND
N-NITROSODIPHENYLAMINE	0.003	ND
4-BROMOPHENYL PHENYL ETHER	0.003	ND
HEXACHLOROBENZENE	0.001	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFGE-2538
LAB NO:	27970
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	1906.95
DATE ANALYZED:	10/4/00
UNITS:	µg/Cu. m

METHOD: SEMI-VOC'S BY GC/MS
REFERENCE: EPA TO 13M/8270

COMPOUND NAME	REPORTING LIMIT	SAMPLE CONC
PENTACHLOROPHENOL	0.005	ND
PHENANTHRENE	0.001	0.00562
ANTHRACENE	0.001	ND
DI-N-BUTYLPHTHALATE	0.001	0.00208
FLUORANTHENE	0.001	0.000939
PYRENE	0.001	0.000577
BUTYL BENZYL PHTHALATE	0.001	ND
BENZO (A) ANTHRACENE	0.001	ND
3,3'-DICHLOROBENZIDINE	0.005	ND
CHRYSENE	0.001	ND
BIS (2-ETHYLHEXYL) PHTHALATE	0.001	0.000850
DI-N-OCTYL PHTHALATE	0.001	ND
BENZO (B) FLUORANTHENE	0.001	ND
BENZO (K) FLUORANTHENE	0.001	ND
BENZO (A) PYRENE	0.001	ND
INDENO (1,2,3-CD) PYRENE	0.001	ND
DIBENZO (A,H) ANTHRACENE	0.001	ND
BENZO (G,H,I) PERYLENE	0.001	ND

SURROGATE % RECOVERY

TERPHENYL-D14	95

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MAC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFAE-2532
LAB NO: 27965
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 322.49

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.20E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.55E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.30E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.10E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.10E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.20E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.30E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.20E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.10E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.10E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: RMK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFBE-2533
LAB NO: 27966
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 330.46

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.05E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.51E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.08E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.03E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.03E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.05E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.08E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.05E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.03E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.03E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: AMK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFDE-2535
LAB NO: 27967
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 325.94

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.14E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.53E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.20E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.07E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.07E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.14E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.20E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.14E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.07E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.07E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: APK
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFEE-2536
LAB NO:	27968
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	310.74

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED:	10/3/00
UNITS:	µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.44E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.61E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.65E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.22E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.22E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.44E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.65E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.44E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.22E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.22E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MPC
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID:	00092829-PUFFE-2537
LAB NO:	27969
SAMPLE TYPE:	AIR
DATE SAMPLED:	09/28/00
TIME SAMPLED:	NA
VOLUME SAMPLED (Cu.m):	319.08

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED:	10/3/00
UNITS:	µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.27E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.57E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.40E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.13E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.13E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.27E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.40E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.27E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.13E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.13E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: MM
DATE: 10/11/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

SAMPLE ID: 00092829-PUFGE-2538
LAB NO: 27970
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA
VOLUME SAMPLED (Cu.m): 330.64

METHOD: PCDD'S/PCDF'S BY HRGC/LRMS
REFERENCE: EPA TO 9M / EPA 8280M

DATE ANALYZED: 10/3/00
UNITS: µg/Cu. m

COMPOUND NAME	CAS NO.	REPORTING LIMIT	SAMPLE CONC
2,3,7,8-TETRACHLORODIBENZO-p-DIOXIN	1746-01-6	6.05E-06	ND
1,2,3,7,8-PENTACHLORODIBENZO-p-DIOXIN	40321-76-4	1.51E-05	ND
HEXACHLORODIBENZO-p-DIOXIN (TOTAL)	34465-46-8	9.07E-06	ND
HEPTACHLORODIBENZO-p-DIOXIN (TOTAL)	37871-00-4	3.02E-05	ND
OCTACHLORODIBENZO-p-DIOXIN	3268-87-9	3.02E-05	ND
2,3,7,8-TETRACHLORODIBENZOFURAN	51207-31-9	6.05E-06	ND
PENTACHLORODIBENZOFURAN (TOTAL)	30402-15-4	9.07E-06	ND
HEXACHLORODIBENZOFURAN (TOTAL)	55684-94-1	6.05E-06	ND
HEPTACHLORODIBENZOFURAN (TOTAL)	38998-75-3	3.02E-05	ND
OCTACHLORODIBENZOFURAN	39001-02-0	3.02E-05	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
NA - NOT AVAILABLE OR APPLICABLE

APPROVED BY: [illegible]
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCAE-A502
LAB NO: 27971
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): 2.4

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.48	1.0	2.4
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.22	1.1	1.2
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.28	0.32	0.89
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.2	0.75	4.4
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.64	0.87	2.8
XYLENE (O)	95-47-6	0.10	0.14	0.43	0.61
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCAE-A502
LAB NO: 27971
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MS
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCBE-A811
LAB NO: 27972
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): 1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.53	1.0	2.6
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.25	1.1	1.4
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.21	0.32	0.67
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.1	0.75	4.1
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.52	0.87	2.3
XYLENE (O)	95-47-6	0.10	0.18	0.43	0.78
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCBE-A811
LAB NO: 27972
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MM
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCDE-A420
LAB NO: 27974
SAMPLE TYPE: AIR
DATE SAMPLED: 09/26/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): -0.3

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.54	1.0	2.7
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.24	1.1	1.3
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.19	0.32	0.61
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.80	0.75	3.0
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.40	0.87	1.7
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCDE-A420
LAB NO: 27974
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MMS
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCCE-A006
LAB NO: 27973
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): 1.1

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.50	1.0	2.5
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.24	1.1	1.3
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.18	0.32	0.58
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.74	0.75	2.8
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.35	0.87	1.5
XYLENE (O)	95-47-6	0.10	0.12	0.43	0.52
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCCE-A606
LAB NO: 27973
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MMS
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCEE-A425
LAB NO: 27975
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): 0.9

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.53	1.0	2.6
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.25	1.1	1.4
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.19	0.32	0.61
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	0.75	0.75	2.8
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.31	0.87	1.3
XYLENE (O)	95-47-6	0.10	ND	0.43	ND
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCEE-A425
LAB NO: 27975
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: MK
DATE: 10/5/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCFE-A809
LAB NO: 27976
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): -7"Hg

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.40	0.71	2.0	3.5
DICHLOROTETRAFLUOROETHANE	76-14-2	0.40	ND	2.8	ND
CHLOROMETHANE	74-87-3	0.40	ND	0.83	ND
VINYL CHLORIDE	75-01-4	0.20	ND	0.51	ND
BROMOMETHANE	74-83-9	0.40	ND	1.55	ND
CHLOROETHANE	75-00-3	0.40	ND	1.06	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.40	0.47	2.2	2.6
1,1-DICHLOROETHENE	75-35-4	0.20	ND	0.79	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.0	ND	15.3	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.5	ND
1,1-DICHLOROETHANE	75-34-3	0.20	ND	0.81	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.20	ND	0.79	ND
CHLOROFORM	67-66-3	0.40	ND	2.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.40	ND	2.2	ND
CARBON TETRACHLORIDE	56-23-5	0.20	ND	1.26	ND
1,2-DICHLOROETHANE	107-06-2	0.20	ND	0.81	ND
BENZENE	71-43-2	0.20	0.21	0.64	0.67
TRICHLOROETHENE	79-01-6	0.20	0.26	1.07	1.4
1,2-DICHLOROPROPANE	78-87-5	0.40	ND	1.85	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.40	ND	1.82	ND
TOLUENE	108-88-3	0.40	1.1	1.51	4.0
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.40	ND	1.82	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.5	ND
TETRACHLOROETHENE	127-18-4	0.20	ND	1.36	ND
1,2-DIBROMOETHANE	106-93-4	0.20	ND	1.54	ND
CHLOROBENZENE	108-90-7	0.20	ND	0.92	ND
ETHYLBENZENE	100-41-4	0.20	ND	0.87	ND
XYLENE (M+P)	1330-20-7	0.20	0.65	0.87	2.8
XYLENE (O)	95-47-6	0.20	ND	0.87	ND
STYRENE	100-42-5	0.20	ND	0.85	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.9	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.9	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	ND	4.9	ND
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.0	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.0	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.0	ND	14.8	ND
HEXACHLOROBUTADIENE	87-68-3	2.0	ND	21	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCFE-A809
LAB NO: 27976
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		2.0	ND	4.7	ND
		2.0	ND	9.8	ND
		2.0	ND	9.8	ND
		2.0	ND	11.0	ND
		2.0	ND	8.2	ND
		2.0	ND	8.2	ND
		2.0	ND	8.2	ND
		2.0	ND	8.2	ND
		2.0	ND	8.2	ND
		2.0	ND	8.2	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: RJM
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCGE-A803
LAB NO: 27977
SAMPLE TYPE: AIR
DATE SAMPLED: 09/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00
PRESSURE (PSIG): 0.3

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.20	0.45	1.0	2.2
DICHLOROTETRAFLUOROETHANE	76-14-2	0.20	ND	1.4	ND
CHLOROMETHANE	74-87-3	0.20	ND	0.41	ND
VINYL CHLORIDE	75-01-4	0.10	ND	0.26	ND
BROMOMETHANE	74-83-9	0.20	ND	0.78	ND
CHLOROETHANE	75-00-3	0.20	ND	0.53	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.20	0.26	1.1	1.5
1,1-DICHLOROETHENE	75-35-4	0.10	ND	0.40	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.0	ND	7.7	ND
METHYLENE CHLORIDE	75-09-2	0.50	ND	1.7	ND
1,1-DICHLOROETHANE	75-34-3	0.10	ND	0.40	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.10	ND	0.40	ND
CHLOROFORM	67-66-3	0.20	ND	1.0	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.20	ND	1.1	ND
CARBON TETRACHLORIDE	56-23-5	0.10	ND	0.63	ND
1,2-DICHLOROETHANE	107-06-2	0.10	ND	0.40	ND
BENZENE	71-43-2	0.10	0.19	0.32	0.61
TRICHLOROETHENE	79-01-6	0.10	ND	0.54	ND
1,2-DICHLOROPROPANE	78-87-5	0.20	ND	0.92	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.20	ND	0.91	ND
TOLUENE	108-88-3	0.20	1.1	0.75	4.3
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.20	ND	0.91	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.50	ND	2.7	ND
TETRACHLOROETHENE	127-18-4	0.10	ND	0.68	ND
1,2-DIBROMOETHANE	106-93-4	0.10	ND	0.77	ND
CHLOROBENZENE	108-90-7	0.10	ND	0.46	ND
ETHYLBENZENE	100-41-4	0.10	ND	0.43	ND
XYLENE (M+P)	1330-20-7	0.20	0.41	0.87	1.8
XYLENE (O)	95-47-6	0.10	0.12	0.43	0.52
STYRENE	100-42-5	0.10	ND	0.43	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.50	ND	3.4	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.50	ND	2.5	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.50	ND	2.5	ND
1,3-DICHLOROBENZENE	541-73-1	0.50	ND	3.0	ND
1,4-DICHLOROBENZENE	106-46-7	0.50	ND	3.0	ND
1,2-DICHLOROBENZENE	95-50-1	0.50	ND	3.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.0	ND	7.4	ND
HEXACHLOROBUTADIENE	87-68-3	1.0	ND	11	ND

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9817
CLIENT PROJECT: 773247

METHOD: VOC'S IN AIR
REFERENCE: TO14 (GC-MS-SCAN)

SAMPLE ID: 00092829-VOCGE-A803
LAB NO: 27977
SAMPLE TYPE: AIR
DATE SAMPLED: 9/28/00
TIME SAMPLED: NA

DATE ANALYZED: 10/1/00

TENTATIVELY IDENTIFIED COMPOUND NAME	CAS NO.	ESTIMATED SAMPLE CONCENTRATIONS PPB (V/V) MRL	SAMPLE CONC	µg/cu. m MRL	SAMPLE CONC
		1.0	ND	2.4	ND
		1.0	ND	4.9	ND
		1.0	ND	4.9	ND
		1.0	ND	5.5	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND
		1.0	ND	4.1	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE

APPROVED BY: KAR
DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

METHOD: TOTAL SUSPENDED PARTICULATE MATTER IN AIR
REFERENCE: USEPA IO2.1/IO3.1/IO3.5

UNITS: µg/m3

SAMPLE ID:	00092829-TSPAE-7298		00092829-TSPBE-7299		00092829-TSPDE-7301		00092829-TSPEE-7302		00092829-TSPFE-7303		00092829-TSPGE-7233	
LAB NO:	27978		27979		27980		27981		27982		27983	
SAMPLE TYPE:	AIR		AIR		AIR		AIR		AIR		AIR	
DATE SAMPLED:	9/28/00		9/28/00		9/29/00		9/29/00		9/29/00		9/29/00	
SAMPLE VOLUME (m3):	1790.96		1891.86		1805.80		1817.63		1795.65		1820.82	
DATE ANALYZED:	10/2/00		10/2/00		10/2/00		10/2/00		10/2/00		10/2/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PARTICULATE MATTER	55.45	2.79	81.67	2.64	295.33	2.77	103.31	2.75	212.12	2.78	297.45	2.75

DATE ANALYZED:	10/03/00		10/03/00		10/03/00		10/03/00		10/03/00		10/03/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
ALUMINUM	ND	2.513	ND	2.379	ND	2.491	ND	2.475	ND	2.505	2.812	2.471
ANTIMONY	ND	0.503	ND	0.476	ND	0.498	ND	0.495	ND	0.501	ND	0.494
ARSENIC	ND	0.002	ND	0.002	0.004	0.002	ND	0.002	0.003	0.002	0.004	0.002
BARIUM	ND	0.126	ND	0.119	ND	0.125	ND	0.124	0.147	0.125	ND	0.124
BERYLLIUM	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
CADMIUM	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
CHROMIUM	ND	0.050	ND	0.048	ND	0.050	ND	0.050	ND	0.050	ND	0.049
COBALT	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
COPPER	0.0362	0.013	0.0421	0.012	0.0700	0.012	0.0650	0.012	0.260	0.013	0.065	0.012
LEAD	ND	0.025	ND	0.024	0.0961	0.025	0.0306	0.025	0.0624	0.025	0.116	0.025
MANGANESE	0.0196	0.013	0.0368	0.012	0.166	0.012	0.0607	0.012	0.119	0.013	0.197	0.012
MERCURY	ND	0.002	ND	0.001	ND	0.001	ND	0.001	ND	0.002	ND	0.001
MOLYBDENUM	ND	0.025	ND	0.024	ND	0.025	ND	0.025	ND	0.025	ND	0.025
NICKEL	ND	0.131	ND	0.124	ND	0.130	ND	0.129	ND	0.130	ND	0.129
SELENIUM	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
SILVER	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
THALLIUM	ND	0.013	ND	0.012	ND	0.012	ND	0.012	ND	0.013	ND	0.012
VANADIUM	ND	0.251	ND	0.238	ND	0.249	ND	0.248	ND	0.250	ND	0.247
ZINC	ND	0.251	ND	0.238	ND	0.249	ND	0.248	ND	0.250	ND	0.247

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR BLANK CALCULATION

APPROVED BY: ch

DATE: 10/4/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-092829

Bill to: IT Corporation
4005 Port Chicago Highway
Concord, CA 94520

Report to: IT Corporation
4005 Port Chicago Highway
Concord, CA 94520
Attn: Pam Bauer

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: C. Foreman, A. Cortez, S. McNerny
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 85554
Required Report Date: See PAM

Samples Shipment Date: 9/30/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Cliff Foreman
Carrier/Waybill No.: Courier

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Date Collected	Sample Volume (Cubic meters)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.
00092829-PUFAE-2532	A-PUF	SAMPLE STATION A	9/28/00	322.49	Jar & Envelope	ICE	TO-4 & TO-13 & TO-9m		27965
00092829-PUFBE-2533	B-PUF	SAMPLE STATION B	9/28/00	330.46	"	"	TO-4 & TO-13 & TO-9m		27966
VOID	C-PUF	SAMPLE STATION C	9/28/00	0.00	"	"	TO-4 & TO-13 & TO-9m		—
00092829-PUFDE-2535	D-PUF	SAMPLE STATION D	9/28/00	325.94	"	"	TO-4 & TO-13 & TO-9m		27967
00092829-PUFEE-2536	E-PUF	SAMPLE STATION E	9/28/00	310.74	"	"	TO-4 & TO-13 & TO-9m		27968
00092829-PUFFE-2537	F-PUF	SAMPLE STATION F	9/28/00	319.08	"	"	TO-4 & TO-13 & TO-9m		27969
00092829-PUFGE-2538	G-PUF	SAMPLE STATION G	9/28/00	330.64	"	"	TO-4 & TO-13 & TO-9m		27970
NOT COLLECTED	PUF BLANK	PUF-BLANK	9/28/00	NA	"	"	TO-4 & TO-13 & TO-9m		—
00092829-VOCAE-A502	A-VOC	SAMPLE STATION A	9/28/00	0.00	SUMMA	None	TO-14a See Note		27971
00092829-VOCBE-A811	B-VOC	SAMPLE STATION B	9/28/00	2.50	"	"	TO-14a		27972
00092829-VOCCE-A606	C-VOC	SAMPLE STATION C	9/28/00	0.00	"	"	TO-14a		27973
00092829-VOCDE-A420	D-VOC	SAMPLE STATION D	9/28/00	4.20	"	"	TO-14a		27974
00092829-VOCEE-A425	E-VOC	SAMPLE STATION E	9/28/00	0.00	"	"	TO-14a		27975
00092829-VOCFE-A809	F-VOC	SAMPLE STATION F	9/28/00	7.00	"	"	TO-14a		27976
00092829-VOCGE-A803	G-VOC	SAMPLE STATION G	9/28/00	0.00	"	"	TO-14a		27977
NOT COLLECTED	VOC-BLANK	VOC-BLANK	9/28/00	NA	"	"	TO-14a		—
00092829-TSPAE-7298	A-TSP	SAMPLE STATION A	9/28/00	1760.96	Envelope	"	Full Suite Metals		27978
00092829-TSPBE-7299	B-TSP	SAMPLE STATION B	9/28/00	1891.86	"	"	Full Suite Metals		27979
VOID	C-TSP	SAMPLE STATION C	9/28/00	0.00	"	"	Full Suite Metals		—
00092829-TSPDE-7301	D-TSP	SAMPLE STATION D	9/28/00	1806.80	"	"	Full Suite Metals		27980
00092829-TSPEE-7302	E-TSP	SAMPLE STATION E	9/28/00	1817.83	"	"	Full Suite Metals		27981
00092829-TSPFE-7303	F-TSP	SAMPLE STATION F	9/28/00	1796.65	"	"	Full Suite Metals		27982
00092829-TSPGE-7233	G-TSP	SAMPLE STATION G	9/28/00	1881.34	"	"	Full Suite Metals		27983
NOT COLLECTED	TSP-BLANK	TSP-BLANK	9/28/00	NA	"	"	Full Suite Metals		—

Special Instructions: Analyze for full suite in reference methods Additionally, include analyses per conversations with IT for low res dioxins and furans Returning 1 SUMMA regulator for maintenance. Returning VOID PUF sample.

Possible Hazard ID: none

Sample Disposal: By Lab

Turnaround Time Required: 3 day turnaroun

QC Level: See PAM

1. Relinquished by (Signature/Affiliation): Cliff Foreman — Date: 9/30/00 Time: 12:50
2. Relinquished by (Signature/Affiliation): Emal (VTC) — Date: 9-30-00 Time: 18:00
3. Relinquished by (Signature/Affiliation): — Date: Time:

1. Received by (Signature/Affiliation): Emal (VTC) — Date: 9 30 00 Time: 12:50
2. Received by (Signature/Affiliation): [illegible] — Date: 9-30-00 Time: 18:00
3. Received by (Signature/Affiliation): — Date: Time:

Comments: Fax Preliminary results to Cliff Foreman (1-415-671-2809) Sample 0092829-VOCCE-A606 ran slightly over 25 hours.

K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 10/04/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 772347

FROM: Richard A. Kagel, Ph.D.
Laboratory Director

RAK by 10/4/00

SUBJECT: YOUR PROJECT 772347 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
000926-PHAE-2037 P. M.	AIR	09/27/00	27862
000926-PHBE-2038 P. M.	AIR	09/27/00	27863
000926-PHCE-2039 P. M.	AIR	09/27/00	27864
000926-PHDE-2040 P. M.	AIR	09/27/00	27865
000926-PHEE-2041 P. M.	AIR	09/27/00	27866
000926-PHFE-2042 P. M.	AIR	09/27/00	27867
000927-PHAE-2055 P. M.	AIR	09/27/00	27868
000927-PHBE-2056 P. M.	AIR	09/27/00	27869
000927-PHCE-2057 P. M.	AIR	09/27/00	27870
000927-PHDE-2058 P. M.	AIR	09/27/00	27871
000927-PHEE-2059 P. M.	AIR	09/27/00	27872
000927-PHFE-2060 P. M.	AIR	09/27/00	27873

The above listed sample group was received on 09/28/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

CC: Mr. Cliff Foreman, JADA/IT Hunters Point FAX: 415-671-2809

K PRIME, INC.
LABORATORY REPORT

METHOD: PHOSGENE IN AMBIENT AIR
REFERENCE: USEPA TO-6A

UNITS: µg/m3

SAMPLE ID:	000926-PHAE -2037 P. M.	000926-PHBE -2038 P. M.	000926-PHCE -2039 P. M.	000926-PHDE -2040 P. M.	000926-PHEE -2041 P. M.	000926-PHFE -2042 P. M.
LAB NO:	27862	27863	27864	27865	27866	27867
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	9/27/00	9/27/00	9/27/00	9/27/00	9/27/00	9/27/00
SAMPLE VOLUME (m3):	0.05562	0.04753	0.05150	0.05100	0.04950	0.05000
DATE ANALYZED:	10/3/00	10/3/00	10/3/00	10/3/00	10/3/00	10/3/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PHOSGENE	ND	42.0	ND	49.1	ND	45.3	ND	45.8	ND	47.2	ND	45.7

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR CALCULATION

APPROVED BY: [signature]

DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

METHOD: PHOSGENE IN AMBIENT AIR
REFERENCE: USEPA TO-6A

UNITS: µg/m3

SAMPLE ID:	000927-PHAE -2055 P. M.		000927-PHBE -2056 P. M.		000927-PHCE -2057 P. M.		000927-PHDE -2058 P. M.		000927-PHEE -2059 P. M.		000927-PHFE -2060 P. M.	
LAB NO:	27868		27869		27870		27871		27872		27873	
SAMPLE TYPE:	AIR		AIR		AIR		AIR		AIR		AIR	
DATE SAMPLED:	9/27/00		9/27/00		9/27/00		9/27/00		9/27/00		9/27/00	
SAMPLE VOLUME (m3):	0.05050		0.05684		0.06120		0.05757		0.05150		0.05150	
DATE ANALYZED:	10/3/00		10/3/00		10/3/00		10/3/00		10/3/00		10/3/00	
COMPOUND NAME	**SAMPLE CONC**	**RL**	**SAMPLE CONC**	**RL**	**SAMPLE CONC**	**RL**	**SAMPLE CONC**	**RL**	**SAMPLE CONC**	**RL**	**SAMPLE CONC**	**RL**
PHOSGENE	ND	46.2	ND	41.1	ND	38.2	ND	40.6	ND	45.3	ND	45.3

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR CALCULATION

APPROVED BY: _____

DATE: 10/4/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-092728hcl

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: C. Foreman, A. Cortez, S.Gildersleeve
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 85554
Required Report Date: See PAM

Samples Shipment Date: 9/28/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Cliff Foreman
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Date Collected	Sample Volume (LITERS)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.	
00092728-HCLAE-2043	A-Chlorine	SAMPLE STATION A	9/27/00	1504.70	3 vials	None	TO-0051m		27856	
00092728-HCLBE-2044	B-Chlorine	SAMPLE STATION B	9/27/00	1538.25	3 vials	None	TO-0051m		27857	
00092728-HCLCE-2045	C- Chlorine	SAMPLE STATION C	9/27/00	1494.80	3 vials	None	TO-0051m		27858	
00092728-HCLDE-2046	D-Chlorine	SAMPLE STATION D	9/27/00	1539.29	3 vials	None	TO-0051m		27859	
00092728-HCLEE-2047	E-Chlorine	SAMPLE STATION E	9/27/00	1430.80	3 vials	None	TO-0051m		27860	
00092728-HCLFE-2048	F-Chlorine	SAMPLE STATION F	9/27/00	1551.71	3 vials	None	TO-0051m		27861	
Not Collected	G-Chlorine	SAMPLE STATION G	9/27/00	0.00	3 vials	None	TO-0051m		—	
Not Collected	Chlorine Blank	Blank	9/27/00	NA	3 vials	None	TO-0051m		—	
000926-PHAE-2037p.m	A-PH	SAMPLE STATION A	9/26/00	55.62	1 vial	Ice	TO-6m		27862	
000926-PHBE-2038 p.m	B-PH	SAMPLE STATION B	9/26/00	47.53	1 vial	Ice	TO-6m		27863	
000926-PHCE-2039 p.m	C-PH	SAMPLE STATION C	9/26/00	51.50	1 vial	Ice	TO-6m		27864	
000926-PHDE-2040 p.m	D-PH	SAMPLE STATION D	9/26/00	51.00	1 vial	Ice	TO-6m		27865	
000926-PHEE-2041 p.m	E-PH	SAMPLE STATION E	9/26/00	49.50	1 vial	Ice	TO-6m		27866	
000926-PHFE-2042 p.m	F-PH	SAMPLE STATION F	9/26/00	50.00	1 vial	Ice	TO-6m		27867	
Not collected	G-PH	SAMPLE STATION G	9/26/00	#REF!	1 vial	Ice	TO-6m		—	
000927-PHAE-2055 p.m	A-PH	SAMPLE STATION A	9/27/00	50.50	1 vial	Ice	TO-6m		27868	
000927-PHBE-2056 p.m	B-PH	SAMPLE STATION B	9/27/00	56.84	1 vial	Ice	TO-6m		27869	
000927-PHCE-2057 p.m	C-PH	SAMPLE STATION C	9/27/00	61.20	1 vial	Ice	TO-6m		27870	
000927-PHDE-2058 p.m	D-PH	SAMPLE STATION D	9/27/00	57.57	1 vial	Ice	TO-6m		27871	
000927-PHEE-2059 p.m	E-PH	SAMPLE STATION E	9/27/00	51.50	1 vial	Ice	TO-6m		27872	
000927-PHFE-2060 p.m	F-PH	SAMPLE STATION F	9/27/00	51.50	1 vial	Ice	TO-6m		27873	
Not collected	G-PH	SAMPLE STATION G	9/27/00	0.00	1 vial	Ice	TO-6m		—	

Special Instructions:

Possible Hazard ID: none	Sample Disposal: By Lab	Turnaround Time Required: 3 day turnaroun	QC Level: See PAM	
1. Relinquished by (Signature/Affiliation)	Date: 9/28/00 Time: 14:24	1. Received by (Signature/Affiliation)	Date: 9/28/00 Time: 2:24	
2. Relinquished by (Signature/Affiliation)	Date: 9/28/00 Time: 2:48	2. Received by (Signature/Affiliation) C Saulnier	Date: 9/28/00 Time: 4:55	
3. Relinquished by (Signature/Affiliation)	Date: Time:	3. Received by (Signature/Affiliation)	Date: Time:	

Comments: Fax Preliminary results to Cliff Foreman (1-415-671-2809)

K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 10/04/00

TO: Ms. Pam Bauer
IT CORPORATION
4005 Port Chicago Hwy
Concord, CA 94520

Phone: (925) 288-9898
Fax: (925) 288-0888

ACCT: 9817
PROJ: 773247

FROM: Richard A. Kagel, Ph.D. RAKmyck 10/4/00
Laboratory Director

SUBJECT: YOUR PROJECT 773247 LABORATORY RESULTS

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
000928-PHAE-2067 AM	AIR	09/28/00	27921
000928-PHBE-2068 AM	AIR	09/28/00	27922
000928-PHCE-2069 AM	AIR	09/28/00	27923
000928-PHDE-2070 AM	AIR	09/28/00	27924
000928-PHEE-2071 AM	AIR	09/28/00	27925
000928-PHFE-2072 AM	AIR	09/28/00	27926
000928-PHAE-2073 PM	AIR	09/28/00	27927
000928 PHBE-2074 PM	AIR	09/28/00	27928
000928-PHCE-2075 PM	AIR	09/28/00	27929
000928-PHDE-2076 PM	AIR	09/28/00	27930
000928-PHEE-2077 PM	AIR	09/28/00	27931
000928-PHFE-2078 PM	AIR	09/28/00	27932

The above listed sample group was received on 09/29/00 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

CC: Mr. Cliff Foreman, JADA/IT Hunters Point FAX: 415-671-2809
Mr. Brian Luscher, IT San Jose FAX: 408-437-9526

K PRIME, INC.
LABORATORY REPORT

METHOD: PHOSGENE IN AMBIENT AIR
REFERENCE: USEPA TO-6A

UNITS: µg/m3

SAMPLE ID:	000928-PHAE -2067 AM	000928-PHBE -2068 AM	000928-PHCE -2069 AM	000928-PHDE -2070 AM	000928-PHEE -2071 AM	000928-PHFE -2072 AM
LAB NO:	27921	27922	27923	27924	27925	27926
SAMPLE TYPE:	AIR	AIR	AIR	AIR	AIR	AIR
DATE SAMPLED:	9/28/00	9/28/00	9/28/00	9/28/00	9/28/00	9/28/00
SAMPLE VOLUME (m3):	0.06696	0.05292	0.05300	0.05250	0.06000	0.06077
DATE ANALYZED:	10/3/00	10/4/00	10/4/00	10/4/00	10/4/00	10/4/00

COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PHOSGENE	ND	34.9	ND	44.1	ND	44.1	ND	44.5	ND	38.9	ND	38.4

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR CALCULATION

APPROVED BY: dh

DATE: 10/4/00

K PRIME, INC.
LABORATORY REPORT

METHOD: PHOSGENE IN AMBIENT AIR
REFERENCE: USEPA TO-6A

UNITS: µg/m3

SAMPLE ID:	000928-PHAE -2073 PM		000928-PHBE -2074 PM		000928-PHCE -2075 PM		000928-PHDE -2076 PM		000928-PHEE -2077 PM		000928-PHFE -2078 PM	
LAB NO:	27927		27928		27929		27930		27931		27932	
SAMPLE TYPE:	AIR		AIR		AIR		AIR		AIR		AIR	
DATE SAMPLED:	9/28/00		9/28/00		9/28/00		9/28/00		9/28/00		9/28/00	
SAMPLE VOLUME (m3):	0.05194		0.05136		0.04794		0.05047		0.05202		0.05096	
DATE ANALYZED:	10/4/00		10/4/00		10/4/00		10/4/00		10/4/00		10/4/00	
COMPOUND NAME	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL	SAMPLE CONC	RL
PHOSGENE	ND	45.0	ND	45.5	ND	48.7	ND	46.3	ND	44.9	ND	45.8

NOTES:
"ND" = NOT DETECTED AT STATED REPORTING LIMIT
* = AVERAGE OF DAY'S SAMPLE VOLUMES ENTERED FOR CALCULATION

APPROVED BY: ch
DATE: 10/4/00

INTERNATIONAL TECHNOLOGY CORPORATION

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Reference Document No: 2000-092728ahcl

Project Name: HPS Air Monitoring
Project Number: 773247
SampleTeam/Members: C. Foreman, A. Cortez, S. Gildersleeve
Profit Center No.: 3701110
Project Manager: Jim Robbins
Purchase Order No.: 85554
Required Report Date: See PAM

Samples Shipment Date: 9/29/00
Lab Destination: K-Prime Analytical
Lab Contact: Carla Kagel
Project Contact/Phone: Cliff Foreman
Carrier/Waybill No.: Courier

Bill to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520

Report to: IT Corporation, 4005 Port Chicago Highway, Concord, CA. 94520, Attn: Pam Bauer

ONE CONTAINER PER LINE

Sample Number	Sampler	Location	Date Collected	Sample Volume (LITERS)	Container Type	Preservative	Requested Testing Program	Condition on Receipt	Disposal Record No.	
00000	A-Chlorine	SAMPLE STATION A	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	B-Chlorine	SAMPLE STATION B	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	C- Chlorine	SAMPLE STATION C	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	D-Chlorine	SAMPLE STATION D	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	E-Chlorine	SAMPLE STATION E	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	F-Chlorine	SAMPLE STATION F	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	G-Chlorine	SAMPLE STATION G	9/28/00	0.00	3 vials	None	TO-0051m			
0000000	Chlorine Blank	Blank	9/28/00	NA	3 vials	None	TO-0051m			
0928-PHAE-2067a.m	A-PH	SAMPLE STATION A	9/28/00	66.96	1 vial	Ice	TO-6m		27921	
0928-PHBE-2068 a.m	B-PH	SAMPLE STATION B	9/28/00	52.92	1 vial	Ice	TO-6m		27922	
0928-PHCE-2069 a.m	C-PH	SAMPLE STATION C	9/28/00	53.00	1 vial	Ice	TO-6m		27923	
0928-PHDE-2070 a.m	D-PH	SAMPLE STATION D	9/28/00	52.50	1 vial	Ice	TO-6m		27924	
0928-PHEE-2071 a.m	E-PH	SAMPLE STATION E	9/28/00	60.00	1 vial	Ice	TO-6m		27925	
0928-PHFE-2072 a.m	F-PH	SAMPLE STATION F	9/28/00	60.77	1 vial	Ice	TO-6m		27926	
Not collected	G-PH	SAMPLE STATION G	9/28/00	#REF!	1 vial	Ice	TO-6m		—	
0928-PHAE-2073 p.m	A-PH	SAMPLE STATION A	9/28/00	51.94	1 vial	Ice	TO-6m		27927	
0928-PHBE-2074 p.m	B-PH	SAMPLE STATION B	9/28/00	51.36	1 vial	Ice	TO-6m		27928	
0928-PHCE-2075 p.m	C-PH	SAMPLE STATION C	9/28/00	47.94	1 vial	Ice	TO-6m		27929	
0928-PHDE-2076 p.m	D-PH	SAMPLE STATION D	9/28/00	50.47	1 vial	Ice	TO-6m		27930	
0928-PHEE-2077 p.m	E-PH	SAMPLE STATION E	9/28/00	52.02	1 vial	Ice	TO-6m		27931	
0928-PHFE-2078 p.m	F-PH	SAMPLE STATION F	9/28/00	50.96	1 vial	Ice	TO-6m		27932	
Not collected	G-PH	SAMPLE STATION G	9/28/00	0.00	1 vial	Ice	TO-6m			

Special Instructions:

Possible Hazard ID: none	Sample Disposal: By Lab	Turnaround Time Required: 3 day turnaroun	QC Level: See PAM	
Relinquished by (Signature/Affiliation)	Date: 9-29-00 Time: 1413	1. Received by (Signature/Affiliation)	Date: 9-29-00 Time: 2:17 PM	
Relinquished by (Signature/Affiliation)	Date: 9-29-00 Time: 450	2. Received by (Signature/Affiliation) Charlotte Moon	Date: 09/29/00 Time: 4:50	
Relinquished by (Signature/Affiliation)	Date: Time:	3. Received by (Signature/Affiliation)	Date: Time:	

Comments: Fax Preliminary results to Cliff Foreman (1-415-671-2809)